

Eaton ADE4N1503NPN

Catalog Number: ADE4N1503NPN

Eaton ADE 4F, Armoured, Nickel-plated Brass, 1-1/2", 3 (L), 35-48

General specifications

| | |
|---|---|
| Product Name | Catalog Number |
| Eaton Capri ADE-4F Cable Gland for Hazardous Area | ADE4N1503NPN |
| | EAN |
| | 3589350035841 |
| Product Length/Depth | Product Height |
| 113 mm | 70 mm |
| Product Width | Product Weight |
| 64 mm | 781 g |
| Warranty | Compliances |
| No warranty | Contact Manufacturer |
| | Multiple listings- contact manufacturer |

Product specifications

Sealing type

Silicone

Connector type

Straight

Type of sealing

Sealing ring

Gland type

Armoured

Protection, proofing and resistance

Shock Resistant

Gland size

11

Material quality

Brass

For ex-zone gas

1, 2

Version

Explosion - Tested

For ex-zone dust

21, 22

Working temperature - min

-60 °C

Suitable for cable diameter - min

35 mm

Outer sheath (min/max)

35-48

Degree of protection (IP)

IP68

Cable sealing range

3 (L)

Thread Size

1-1/2"

Color

Natural colour

Material

Resources

Technical data sheets

[ADE-4F Datasheet](#)

Metal

Nickel plated brass

Lamp type included

Halogen Free

Working temperature - max

140 °C

Protection type

Flameproof and increased safety

Suitable for cable diameter - max

48 mm

Nominal thread size inch/gas pipe thread

1 1/2 inch

Hexagon angular dimension

70.4 mm

Surface protection

Nickel-plated

Model

Straight

Thread Length

20 mm

Thread type

NPT

Wrench width

64 mm



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)