

Eaton ADE6M163NPS

Catalog Number: ADE6M163NPS

Eaton ADE 6F, Armoured, Nickel-plated Brass, M16, 3 (L), 6-12

General specifications

Product Name	Catalog Number
Eaton Capri ADE-6F Cable Gland for Hazardous Area	ADE6M163NPS
	EAN
	3589350067521
Product Length/Depth	Product Height
62.5 mm	19 mm
Product Width	Product Weight
19 mm	55.83 g
Warranty	Compliances
No warranty	Contact Manufacturer
	Multiple listings- contact manufacturer

Product specifications

Sealing type

Silicone

Connector type

Straight

Type of sealing

Diaphragm

Gland type

Armoured

Protection, proofing and resistance

Shock Resistant

Nominal thread size Metric/PG

16

Gland size

5

Material quality

Brass

For ex-zone gas

1, 2

Version

Explosion - Tested

Pitch thread

1.5 mm

For ex-zone dust

21, 22

Working temperature - min

-30 °C

Suitable for cable diameter - min

6 mm

Outer sheath (min/max)

6-12

Degree of protection (IP)

IP68

Cable sealing range

3 (L)

Thread Size

Resources

Technical data sheets

[ADE-6F Datasheet](#)

M16

Color

Natural colour

Material

Nickel plated brass

Metal

Lamp type included

Halogen Free

Working temperature - max

80 °C

Protection type

Flameproof and increased safety

Suitable for cable diameter - max

12 mm

Hexagon angular dimension

20.9 mm

Surface protection

Nickel-plated

Model

Straight

Thread Length

15 mm

Thread type

Metric

Wrench width

19 mm