

Eaton ADE6M201NPS

Catalog Number: ADE6M201NPS

Eaton ADE 6F, Armoured, Nickel-plated Brass, M20, 1 (S), 6-12

General specifications

Product Name	Catalog Number
Eaton Capri ADE-6F Cable Gland for Hazardous Area	ADE6M201NPS EAN 3589350067569
Product Length/Depth	Product Height
62.5 mm	20.9 mm
Product Width	Product Weight
19 mm	55.83 g
Warranty	Compliances
No warranty	Contact Manufacturer Multiple listings- contact manufacturer



Product specifications

Sealing type

Silicone

Connector type

Straight

Type of sealing

Diaphragm

Gland type

Armoured

Protection, proofing and resistance

Shock Resistant

Nominal thread size Metric/PG

20

Gland size

5

Material quality

Brass

For ex-zone gas

1, 2

Version

Explosion - Tested

Pitch thread

1.5 mm

For ex-zone dust

21, 22

Working temperature - min

-30 °C

Suitable for cable diameter - min

6 mm

Outer sheath (min/max)

6-12

Degree of protection (IP)

IP68

Cable sealing range

1 (S)

Thread Size

Resources

Technical data sheets

[ADE-6F Datasheet](#)

M20

Color

Natural colour

Material

Metal

Nickel plated brass

Lamp type included

Halogen Free

Working temperature - max

80 °C

Protection type

Flameproof and increased safety

Suitable for cable diameter - max

12 mm

Hexagon angular dimension

26.4 mm

Surface protection

Nickel-plated

Model

Straight

Thread Length

15 mm

Thread type

Metric

Wrench width

24 mm