

Eaton ADE6M202SSS

Catalog Number: ADE6M202SSS

Eaton ADE 6F, Armoured, Stainless Steel, M20, 2 (M), 8.5-16

General specifications

Product Name	Catalog Number
Eaton Capri ADE-6F Cable Gland for Hazardous Area	ADE6M202SSS
	EAN
	3589350067590
Product Length/Depth	Product Height
69.5 mm	26.4 mm
Product Width	Product Weight
24 mm	84.89 g
Warranty	Compliances
No warranty	Contact Manufacturer
	Multiple listings- contact manufacturer



Product specifications

Sealing type

Silicone

Connector type

Straight

Type of sealing

Diaphragm

Gland type

Armoured

Protection, proofing and resistance

Shock Resistant

Nominal thread size Metric/PG

20

Gland size

6

Material quality

Stainless steel V4A

For ex-zone gas

1, 2

Version

Explosion - Tested

Pitch thread

1.5 mm

For ex-zone dust

21, 22

Working temperature - min

-30 °C

Suitable for cable diameter - min

8.5 mm

Outer sheath (min/max)

8.5-16

Degree of protection (IP)

IP68

Cable sealing range

2 (M)

Thread Size

Resources

Technical data sheets

[ADE-6F Datasheet](#)

M20

Color

Natural colour

Material

Stainless steel

Metal

Lamp type included

Halogen Free

Working temperature - max

80 °C

Protection type

Flameproof and increased safety

Suitable for cable diameter - max

16 mm

Hexagon angular dimension

26.4 mm

Surface protection

Untreated

Model

Straight

Thread Length

15 mm

Thread type

Metric

Wrench width

24 mm