

Eaton ADE6M253SSS

Catalog Number: ADE6M253SSS

Eaton ADE 6F, Armoured, Stainless Steel, M25, 3 (L), 16-27.5

General specifications

Product Name	Catalog Number
Eaton Capri ADE-6F Cable Gland for Hazardous Area	ADE6M253SSS
	EAN
	3589350067613
Product Length/Depth	Product Height
89 mm	45.1 mm
Product Width	Product Weight
41 mm	292.08 g
Warranty	Compliances
No warranty	Contact Manufacturer
	Multiple listings- contact manufacturer



Product specifications

Sealing type

Silicone

Connector type

Straight

Type of sealing

Diaphragm

Gland type

Armoured

Protection, proofing and resistance

Shock Resistant

Nominal thread size Metric/PG

25

Gland size

8

Material quality

Stainless steel V4A

For ex-zone gas

1, 2

Version

Explosion - Tested

Pitch thread

1.5 mm

For ex-zone dust

21, 22

Working temperature - min

-30 °C

Suitable for cable diameter - min

16 mm

Outer sheath (min/max)

16-27.5

Degree of protection (IP)

IP68

Cable sealing range

3 (L)

Thread Size

Resources

Technical data sheets

[ADE-6F Datasheet](#)

M25

Color

Natural colour

Material

Stainless steel

Metal

Lamp type included

Halogen Free

Working temperature - max

80 °C

Protection type

Flameproof and increased safety

Suitable for cable diameter - max

27.5 mm

Hexagon angular dimension

45.1 mm

Surface protection

Untreated

Model

Straight

Thread Length

15 mm

Thread type

Metric

Wrench width

41 mm