

# Eaton ADE6M402NPS

Catalog Number: ADE6M402NPS

Eaton ADE 6F, Armoured, Nickel-plated Brass, M40, 2 (M), 21-34

## General specifications

Product Name	Catalog Number
Eaton Capri ADE-6F Cable Gland for Hazardous Area	ADE6M402NPS
	EAN
	3589350067699
Product Length/Depth	Product Height
98 mm	48 mm
Product Width	Product Weight
48 mm	316.33 g
Warranty	Compliances
No warranty	Contact Manufacturer
	Multiple listings- contact manufacturer



## Product specifications

### Sealing type

Silicone

### Connector type

Straight

### Type of sealing

Diaphragm

### Gland type

Armoured

### Protection, proofing and resistance

Shock Resistant

### Nominal thread size Metric/PG

40

### Gland size

9

### Material quality

Brass

### For ex-zone gas

1, 2

### Version

Explosion - Tested

### Pitch thread

1.5 mm

### For ex-zone dust

21, 22

### Working temperature - min

-30 °C

### Suitable for cable diameter - min

21 mm

### Outer sheath (min/max)

21-34

### Degree of protection (IP)

IP68

### Cable sealing range

2 (M)

### Thread Size

## Resources

### Technical data sheets

[ADE-6F Datasheet](#)

M40

Color

Natural colour

Material

Nickel plated brass

Metal

Lamp type included

Halogen Free

Working temperature - max

80 °C

Protection type

Flameproof and increased safety

Suitable for cable diameter - max

34 mm

Hexagon angular dimension

52.8 mm

Surface protection

Nickel-plated

Model

Straight

Thread Length

15 mm

Thread type

Metric

Wrench width

48 mm