

# Eaton ADE6M403SSS

Catalog Number: ADE6M403SSS

Eaton ADE 6F, Armoured, Stainless Steel, M40, 3 (L), 27-41

## General specifications

<b>Product Name</b>	<b>Catalog Number</b>
Eaton Capri ADE-6F Cable Gland for Hazardous Area	ADE6M403SSS
	<b>EAN</b>
	3589350067682
<b>Product Length/Depth</b>	<b>Product Height</b>
107 mm	60.5 mm
<b>Product Width</b>	<b>Product Weight</b>
55 mm	480.15 g
<b>Warranty</b>	<b>Compliances</b>
No warranty	Contact Manufacturer
	Multiple listings- contact manufacturer

## Product specifications

### Sealing type

Silicone

### Connector type

Straight

### Type of sealing

Diaphragm

### Gland type

Armoured

### Protection, proofing and resistance

Shock Resistant

### Nominal thread size Metric/PG

40

### Gland size

10

### Material quality

Stainless steel V4A

### For ex-zone gas

1, 2

### Version

Explosion - Tested

### Pitch thread

1.5 mm

### For ex-zone dust

21, 22

### Working temperature - min

-30 °C

### Suitable for cable diameter - min

27 mm

### Outer sheath (min/max)

27-41

### Degree of protection (IP)

IP68

### Cable sealing range

3 (L)

### Thread Size

## Resources

### Technical data sheets

[ADE-6F Datasheet](#)

M40

Color

Natural colour

Material

Stainless steel

Metal

Lamp type included

Halogen Free

Working temperature - max

80 °C

Protection type

Flameproof and increased safety

Suitable for cable diameter - max

41 mm

Hexagon angular dimension

60.5 mm

Surface protection

Untreated

Model

Straight

Thread Length

15 mm

Thread type

Metric

Wrench width

55 mm