

Eaton ADE6M503SSS

Catalog Number: ADE6M503SSS

Eaton ADE 6F, Armoured, Stainless Steel, M50, 3 (L), 33-48

General specifications

Product Name	Catalog Number
Eaton Capri ADE-6F Cable Gland for Hazardous Area	ADE6M503SSS
	EAN
	3589350067729
Product Length/Depth	Product Height
120 mm	70.4 mm
Product Width	Product Weight
64 mm	721.4 g
Warranty	Compliances
No warranty	Contact Manufacturer
	Multiple listings- contact manufacturer

Product specifications

Sealing type

Silicone

Connector type

Straight

Type of sealing

Diaphragm

Gland type

Armoured

Protection, proofing and resistance

Shock Resistant

Nominal thread size Metric/PG

50

Gland size

11

Material quality

Stainless steel V4A

For ex-zone gas

1, 2

Version

Explosion - Tested

Pitch thread

1.5 mm

For ex-zone dust

21, 22

Working temperature - min

-30 °C

Suitable for cable diameter - min

33 mm

Outer sheath (min/max)

33-48

Degree of protection (IP)

IP68

Cable sealing range

3 (L)

Thread Size

Resources

Technical data sheets

[ADE-6F Datasheet](#)

M50

Color

Natural colour

Material

Stainless steel

Metal

Lamp type included

Halogen Free

Working temperature - max

80 °C

Protection type

Flameproof and increased safety

Suitable for cable diameter - max

48 mm

Hexagon angular dimension

70.4 mm

Surface protection

Untreated

Model

Straight

Thread Length

16 mm

Thread type

Metric

Wrench width

64 mm