

Eaton ADE6N0752SSS

Catalog Number: ADE6N0752SSS

Eaton ADE 6F, Armoured, Stainless Steel, 3/4", 2 (M), 12-21

General specifications

| | |
|---|---|
| Product Name | Catalog Number |
| Eaton Capri ADE-6F Cable Gland for Hazardous Area | ADE6N0752SSS |
| | EAN |
| | 3589350067866 |
| Product Length/Depth | Product Height |
| 83 mm | 30 mm |
| Product Width | Product Weight |
| 30 mm | 168.37 g |
| Warranty | Compliances |
| No warranty | Contact Manufacturer |
| | Multiple listings- contact manufacturer |

Product specifications

Sealing type

Silicone

Connector type

Straight

Type of sealing

Diaphragm

Gland type

Armoured

Protection, proofing and resistance

Shock Resistant

Gland size

7

Material quality

Stainless steel V4A

For ex-zone gas

1, 2

Version

Explosion - Tested

For ex-zone dust

21, 22

Working temperature - min

-30 °C

Suitable for cable diameter - min

12 mm

Outer sheath (min/max)

12-21

Degree of protection (IP)

IP68

Cable sealing range

2 (M)

Thread Size

3/4"

Color

Natural colour

Material

Resources

Technical data sheets

[ADE-6F Datasheet](#)

Stainless steel

Metal

Lamp type included

Halogen Free

Working temperature - max

80 °C

Protection type

Flameproof and increased safety

Suitable for cable diameter - max

21 mm

Nominal thread size inch/gas pipe thread

3/4 inch

Hexagon angular dimension

33 mm

Surface protection

Untreated

Model

Straight

Thread Length

22.5 mm

Thread type

NPT

Wrench width

30 mm



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)