

Eaton ADE6N1002NPS

Catalog Number: ADE6N1002NPS

Eaton ADE 6F, Armoured, Nickel-plated Brass, 1", 2 (M), 16-27.5

General specifications

Product Name	Catalog Number
Eaton Capri ADE-6F Cable Gland for Hazardous Area	ADE6N1002NPS
	EAN
	3589350067897
Product Length/Depth	Product Height
101.3 mm	45 mm
Product Width	Product Weight
41 mm	353 g
Warranty	Compliances
No warranty	Contact Manufacturer
	Multiple listings- contact manufacturer

Product specifications

Sealing type

Silicone

Connector type

Straight

Type of sealing

Diaphragm

Gland type

Armoured

Protection, proofing and resistance

Shock Resistant

Gland size

8

Material quality

Brass

For ex-zone gas

1, 2

Version

Explosion - Tested

For ex-zone dust

21, 22

Working temperature - min

-30 °C

Suitable for cable diameter - min

16 mm

Outer sheath (min/max)

16-27.5

Degree of protection (IP)

IP68

Cable sealing range

2 (M)

Thread Size

1"

Color

Natural colour

Material

Resources

Technical data sheets

[ADE-6F Datasheet](#)

Metal

Nickel plated brass

Lamp type included

Halogen Free

Working temperature - max

80 °C

Protection type

Flameproof and increased safety

Suitable for cable diameter - max

27.5 mm

Nominal thread size inch/gas pipe thread

1 inch

Hexagon angular dimension

45.1 mm

Surface protection

Nickel-plated

Model

Straight

Thread Length

27.3 mm

Thread type

NPT

Wrench width

41 mm



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)