

# Eaton ADE6N1252NPS

Catalog Number: ADE6N1252NPS

Eaton ADE 6F, Armoured, Nickel-plated Brass, 1-1/4", 2 (M), 21-34

## General specifications

Product Name	Catalog Number
Eaton Capri ADE-6F Cable Gland for Hazardous Area	ADE6N1252NPS
	EAN
	3589350067934
Product Length/Depth	Product Height
111 mm	48 mm
Product Width	Product Weight
48 mm	316.33 g
Warranty	Compliances
No warranty	Contact Manufacturer
	Multiple listings- contact manufacturer

## Product specifications

### Sealing type

Silicone

### Connector type

Straight

### Type of sealing

Diaphragm

### Gland type

Armoured

### Protection, proofing and resistance

Shock Resistant

### Gland size

9

### Material quality

Brass

### For ex-zone gas

1, 2

### Version

Explosion - Tested

### For ex-zone dust

21, 22

### Working temperature - min

-30 °C

### Suitable for cable diameter - min

21 mm

### Outer sheath (min/max)

21-34

### Degree of protection (IP)

IP68

### Cable sealing range

2 (M)

### Thread Size

1-1/4"

### Color

Natural colour

### Material

## Resources

### Technical data sheets

[ADE-6F Datasheet](#)

Metal

Nickel plated brass

Lamp type included

Halogen Free

Working temperature - max

80 °C

Protection type

Flameproof and increased safety

Suitable for cable diameter - max

34 mm

Nominal thread size inch/gas pipe thread

1 1/4 inch

Hexagon angular dimension

52.8 mm

Surface protection

Nickel-plated

Model

Straight

Thread Length

28 mm

Thread type

NPT

Wrench width

48 mm



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com

© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)