

Eaton ADU100430

Catalog Number: ADU100430

Eaton Raxton BB Reducer, PG 36 Male x PG 7 Female, Stainless Steel, Unplated

General specifications

Product Name	Catalog Number
Eaton Redapt Metallic Adaptor and Reducer - Adaptor	ADU100430
	EAN
	5056039091118
Product Length/Depth	Product Height
42 mm	35.195 mm
Product Width	Product Weight
30.48 mm	0.091 kg
Warranty	Compliances
No warranty	Contact Manufacturer
	Multiple listings- contact manufacturer



Product specifications

NEC hazardous rating

Class I, Division 1
Class II, Division 2
Class III
Class I, Zone 1

Insulator

Non-insulated

Shape

Standard

Ingress protection (IP) ratings

IP66
IP67
IP68

End 1 Size

M20

Material

Brass

Standards type

IEC

Gender end 1

Male

Type of adapter/reducer

Standard

End 2 Type

NPT

Gender end 2

Female

End 1 Type

Metric

End 2 Size

3/4" NPT

NEMA Rating

4X
6P

Area classification

Hazardous/Classified Locations

Resources

Brochures

Oil and Gas Global catalogue

Certification reports

Raxton and Redapt Regulatory instructions
CSA Quality Assurance Notification Certificate
IECEX Certificate - Adaptors, reducers and unions
CCoE Certificate - Reducers
CSA Certificate - Adaptors, reducers, unions and plugs
CCoE Certificate - Adaptors
IECEX Quality Assessment Report
ATEX Certificate - Adaptors, reducers and unions
INMETRO Certificate - Adaptors, reducers, unions and plugs
EAC Certificate - Adaptors, reducers and unions

Specifications and datasheets

Eaton Specification Sheet - ADU100430

Technical data sheets

Redapt AM-U adaptors - Datasheet
Redapt AF-U adaptors - Datasheet
Redapt AD-U adaptors and RD-U reducers - Datasheet

Plating
Unplated



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.
All other trademarks are property of their respective owners.



Eaton.com/socialmedia