

# Eaton AH430R7W

Catalog Number: AH430R7W

Eaton Arrow Hart pin and sleeve receptacle, IP69K Rated, #10 -#2 AWG, 30A, 3Ø 480V, Back wire, Red, Nickel plated brass, IP67, Nylon, Three-pole, Four-wire, grounding, AHBB30 Back box style, Female, 10 HP, Nylon, Three-phase

## General specifications

Product Name	Catalog Number
Eaton Arrow Hart pin and sleeve receptacle	AH430R7W
	UPC
	032664731976
Product Length/Depth	Product Height
3.75 in	3.125 in
Product Width	Product Weight
4.21 in	0.873 lb
Certifications	
Contact Manufacturer	
cRUus	



## Product specifications

### Phase

Three-phase

### Color

Red

### Face/body material

Nylon

### Material

Nylon

### Gender

Female

### Allowable wire size

#10-2 AWG

### Amperage Rating

30A

### Number Of Poles

Three-pole

### Contact material

Nickel plated brass

### Back box style

AHBB30

### Type

Receptacle

### Horsepower

10 hp

### Design type

Pin and sleeve receptacle

### Environmental resistance

IP67

IP69K

### Number of wires

Grounding

4

### Voltage rating

480 V

### Application

## Resources

### Brochures

[Eaton IEC 60309 Arrow Hart pin and sleeve devices brochure](#)

### Multimedia

[Pin and Sleeve Video](#)

### Specifications and datasheets

[Eaton Specification Sheet - AH430R7W](#)

[20A and 30A IEC 309 Watertight pin and sleeve devices spec sheet](#)

Industrial, food and beverage, wastewater treatment

Torque rating

10 lbf-inch



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com

© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://Eaton.com/socialmedia)