

Eaton SPP22570

Catalog Number: SPP22570

Eaton Crouse-Hinds series Pauluhn Intrepid SPP linear fluorescent light fixture,3/4" entry (2) hubs,50/60 Hz,2 ft lamp,Fluorescent,Matte polycarbonate lens,T5HO mini bi-pin,Fiberglass-reinforced polyester,2-lamp,Through feed,120-277 Vac,40W

General specifications



Product Name	Catalog Number
Eaton Crouse-Hinds series Pauluhn Intrepid SPP linear fluorescent light fixture	SPP22570
	UPC
	662276415560
Product Length/Depth	Product Height
28.8 in	5 in
Product Width	Product Weight
7.625 in	9 lb

Photo is representative

Certifications and compliances

Area classification

Hazardous/Classified Locations

Standards type

NEC/CEC

NEC hazardous rating

Class I, Division 2

Class II, Division 2

Class III

NEMA Rating

4

Ingress protection (IP) ratings

IP66

Product specifications

Lamp type

Fluorescent

Material

Fiberglass-reinforced polyester

Lamp length

2 ft

Number of lamps

2-lamp

Light type

T5HO mini bi-pin

Voltage rating

120-277 Vac

Frequency rating

50/60 Hz

Style

Through feed

Entry size

3/4"

Entry type

(2) hubs

Wattage

40W

Lens material

Matte polycarbonate

Resources

3D models

[Eaton Crouse-Hinds SPP22570 3D drawing](#)

Brochures

[Crouse-Hinds series Pauluhn Intrepid Hazardous Area Linear Fluorescent brochure](#)

Catalogs

[Crouse-Hinds series Pauluhn Intrepid Hazardous Area Linear Fluorescent](#)

[catalog page](#)

[Installation instructions](#)

[IF LBL1370D2 - Pauluhn Intrepid Hazardous Area Linear Fluorescent](#)

[Specifications and datasheets](#)

[Eaton Specification Sheet - SPP22570](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia