

Eaton SPP41170

Catalog Number: SPP41170

Eaton Crouse-Hinds series Pauluhn Intrepid SPP linear fluorescent light fixture,3/4" entry (2) hubs,50/60 Hz,4 ft lamp,Fluorescent,Matte polycarbonate lens,T8 bi-pin,Fiberglass-reinforced polyester,1-lamp,Through feed,120-277 Vac,32W

General specifications



Product Name	Catalog Number
Eaton Crouse-Hinds series Pauluhn Intrepid SPP linear fluorescent light fixture	SPP41170
	UPC
	662276415591
Product Length/Depth	Product Height
52.8 in	5 in
Product Width	Product Weight
7.63 in	17 lb

Photo is representative

Certifications and compliances

Area classification

Hazardous/Classified Locations

Standards type

NEC/CEC

NEC hazardous rating

Class I, Division 2

Class II, Division 2

Class III

NEMA Rating

4

Ingress protection (IP) ratings

IP66

Product specifications

Lamp type

Fluorescent

Material

Fiberglass-reinforced polyester

Lamp length

4 ft

Number of lamps

1-lamp

Light type

T8 bi-pin

Voltage rating

120-277 Vac

Frequency rating

50/60 Hz

Style

Through feed

Entry size

3/4"

Entry type

(2) hubs

Wattage

32W

Lens material

Matte polycarbonate

Resources

3D models

[Eaton Crouse-Hinds SPP41170 3D drawing](#)

Brochures

[Crouse-Hinds series Pauluhn Intrepid Hazardous Area Linear Fluorescent brochure](#)

Catalogs

[Crouse-Hinds series Pauluhn Intrepid Hazardous Area Linear Fluorescent catalog page](#)

[Installation instructions](#)

[IF LBL1370D2 - Pauluhn Intrepid Hazardous Area Linear Fluorescent](#)

[Specifications and datasheets](#)

[Eaton Specification Sheet - SPP41170](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia