

Eaton TMCX150 1

Catalog Number: TMCX150 1

Eaton Crouse-Hinds series Terminator II TMCX cable gland,TSC compound,Cable Range:1.03-1.71",Cable Sealing:1 (S),Metal-cladcorrugated armoured,TECK armoured,armoured barrier and tray cable,Armoured gland, Aluminum, 1-1/2" NPT



Photo is representative

General specifications

Product Name	Catalog Number
Eaton Crouse-Hinds series Terminator II TMCX cable gland	TMCX150 1
	UPC
	662276438309
Product Length/Depth	Product Height
5.96 in	3.73 in
Product Width	Product Weight
3.73 in	6.94 lb

Certifications and compliances

Area classification

Hazardous/Classified Locations

Standards type

NEC/CEC

NEC hazardous rating

Class I, Division 1

Class II, Division 1

Class III

NEMA Rating

4X

Product specifications

Protection type

Explosion-proof

Cable type

Tray cable

Armoured barrier

Metal-clad with interlocked or continuously welded corrugated
armoured

TECK armoured

Gland type

Armoured

Thread Size

1-1/2"

Thread type

NPT

Cable sealing range

1 (S)

Cable range (min/max)

1.03-1.71"

Material

Aluminum

Barrier type

TSC Compound

Resources

3D CAD drawing package

[Eaton Crouse-Hinds TMCX150 1 3D drawing](#)

Brochures

[Crouse-Hinds series Chico LiquidSeal flyer](#)

[Crouse-Hinds series TMCX II brochure](#)

Catalogs

[Crouse-Hinds series TMCX II catalog page](#)

Certification reports

[TMCX II Explosionproof Armoured Barrier and Non-armoured Barrier](#)

[Gland UL certification](#)

[TMCX II Explosionproof Armoured Barrier and Non-armoured Barrier](#)

[Gland Canadian certification](#)

[Installation instructions](#)

[IF 1647 - TMCX Terminator II Cable Gland](#)

[IF 1647B - TMCX Terminator II Cable Gland](#)

[Specifications and datasheets](#)

[Eaton Specification Sheet - TMCX150 1](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia