

Eaton ADE1M1102SSN

Catalog Number: ADE1M1102SSN

Eaton ADE 1F2, Non-armoured, Stainless Steel, M110, 2 (M), 75-93



Photo is representative

General specifications

Product Name	Catalog Number
Eaton Capri ADE-1F2 Cable Gland for Hazardous Area	ADE1M1102SSN
	EAN
	3589350032833
Product Length/Depth	Product Height
102 mm	132 mm
Product Width	Product Weight
120 mm	2496.97 g
Compliances	
Contact Manufacturer	
Multiple listings- contact manufacturer	

defaultTaxonomyAttributeLabel

Material

Stainless steel

Metal

Cable sealing range

2 (M)

Color

Natural colour

Connector type

Straight

Gland size

16

Gland type

Non-armoured

Outer sheath (min/max)

75-93

Protection type

Flameproof and increased safety

Sealing type

Silicone

Thread Size

M110

Nominal thread size Metric/PG

110

Pitch thread

2 mm

Thread Length

22 mm

Wrench width

120 mm

Hexagon angular dimension

132 mm

Suitable for cable diameter - max

93 mm

Suitable for cable diameter - min

75 mm

Resources

Technical data sheets

[ADE-1F2 Datasheet](#)

Material quality

Stainless steel V4A

Surface protection

Untreated

Degree of protection (IP)

IP68

Model

Straight

Type of sealing

Sealing ring

Working temperature - max

140 °C

Working temperature - min

-60 °C

For ex-zone gas

1, 2

For ex-zone dust

21, 22

Lamp type included

Halogen Free

Thread type

Metric

Protection, proofing and resistance

Shock Resistant

Version

Explosion - Tested