

Eaton ADE1M162SSN

Catalog Number: ADE1M162SSN

Eaton ADE 1F2, Non-armoured, Stainless Steel, M16, 2 (M), 4.5-8.5



Photo is representative

General specifications

Product Name	Catalog Number
Eaton Capri ADE-1F2 Cable Gland for Hazardous Area	ADE1M162SSN
	EAN
	3589350032352
Product Length/Depth	Product Height
39.2 mm	21 mm
Product Width	Product Weight
19 mm	39.8 g
Compliances	
Contact Manufacturer	
Multiple listings- contact manufacturer	

defaultTaxonomyAttributeLabel

Material

Stainless steel

Metal

Cable sealing range

2 (M)

Color

Natural colour

Connector type

Straight

Gland size

4

Gland type

Non-armoured

Outer sheath (min/max)

4.5-8.5

Protection type

Flameproof and increased safety

Sealing type

Silicone

Thread Size

M16

Nominal thread size Metric/PG

16

Pitch thread

1.5 mm

Thread Length

15 mm

Wrench width

17 mm

Hexagon angular dimension

18.7 mm

Suitable for cable diameter - max

8.5 mm

Suitable for cable diameter - min

4.5 mm

Resources

Technical data sheets

[ADE-1F2 Datasheet](#)

Material quality

Stainless steel V4A

Surface protection

Untreated

Degree of protection (IP)

IP68

Model

Straight

Type of sealing

Sealing ring

Working temperature - max

140 °C

Working temperature - min

-60 °C

For ex-zone gas

1, 2

For ex-zone dust

21, 22

Lamp type included

Halogen Free

Thread type

Metric

Protection, proofing and resistance

Shock Resistant

Version

Explosion - Tested