

Eaton ADE4M123NPN

Catalog Number: ADE4M123NPN

Eaton ADE 4F, Armoured, Nickel-plated Brass, M12, 3 (L), 7-12



Photo is representative

General specifications

Product Name	Catalog Number
Eaton Capri ADE-4F Cable Gland for Hazardous Area	ADE4M123NPN
	EAN
	3589350033380
Product Length/Depth	Product Height
57 mm	21 mm
Product Width	Product Weight
19 mm	49.1 g

Compliances

Contact Manufacturer

Multiple listings- contact manufacturer

defaultTaxonomyAttributeLabel

Material

Nickel plated brass

Metal

Cable sealing range

3 (L)

Color

Natural colour

Connector type

Straight

Gland size

5

Gland type

Armoured

Outer sheath (min/max)

7-12

Protection type

Flameproof and increased safety

Sealing type

Silicone

Thread Size

M12

Nominal thread size Metric/PG

12

Pitch thread

1.5 mm

Thread Length

15 mm

Wrench width

19 mm

Hexagon angular dimension

20.9 mm

Suitable for cable diameter - max

12 mm

Suitable for cable diameter - min

7 mm

Resources

Technical data sheets

[ADE-4F Datasheet](#)

Material quality

Brass

Surface protection

Nickel-plated

Degree of protection (IP)

IP68

Model

Straight

Type of sealing

Sealing ring

Working temperature - max

140 °C

Working temperature - min

-60 °C

For ex-zone gas

1, 2

For ex-zone dust

21, 22

Lamp type included

Halogen Free

Thread type

Metric

Protection, proofing and resistance

Shock Resistant

Version

Explosion - Tested