

Eaton ADE4M203NPN

Catalog Number: ADE4M203NPN

Eaton ADE 4F, Armoured, Nickel-plated Brass, M20, 3 (L), 13.5-21



Photo is representative

General specifications

Product Name	Catalog Number
Eaton Capri ADE-4F Cable Gland for Hazardous Area	ADE4M203NPN
	EAN
	3589350033564
Product Length/Depth	Product Height
70 mm	33 mm
Product Width	Product Weight
30 mm	126 g

Compliances

Contact Manufacturer

Multiple listings- contact manufacturer

Material

Nickel plated brass

Metal

Cable sealing range

3 (L)

Color

Natural colour

Connector type

Straight

Gland size

7

Gland type

Armoured

Outer sheath (min/max)

13.5-21

Protection type

Flameproof and increased safety

Sealing type

Silicone

Thread Size

M20

Nominal thread size Metric/PG

20

Pitch thread

1.5 mm

Thread Length

15 mm

Wrench width

30 mm

Hexagon angular dimension

33 mm

Suitable for cable diameter - max

21 mm

Suitable for cable diameter - min

13.5 mm

Technical data sheets[ADE-4F Datasheet](#)

Material quality

Brass

Surface protection

Nickel-plated

Degree of protection (IP)

IP68

Model

Straight

Type of sealing

Sealing ring

Working temperature - max

140 °C

Working temperature - min

-60 °C

For ex-zone gas

1, 2

For ex-zone dust

21, 22

Integrated function

Screened

Lamp type included

Halogen Free

Thread type

Metric

Protection, proofing and resistance

Shock Resistant

Suitable for

Armoured cable

Version

EMC

Explosion - Tested



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)