

# Eaton ADE6CN0503SSSCN

Catalog Number: ADE6CN0503SSSCN

Eaton ADE 6FC, Armoured Barrier, Stainless Steel, 1/2", 3 (L), 12-21



Photo is representative

## General specifications

Product Name	Catalog Number
Eaton Capri ADE-6FC Cable Gland for Hazardous Area	ADE6CN0503SSSCN
	EAN
	3589350037388
Product Length/Depth	Product Height
82.7 mm	33 mm
Product Width	Product Weight
30 mm	55.83 g
Compliances	
Contact Manufacturer	
Multiple listings- contact manufacturer	

## defaultTaxonomyAttributeLabel

### Material

#### Metal

Stainless steel

### Barrier type

TSC Compound

### Cable sealing range

3 (L)

### Color

Natural colour

### Connector type

Straight

### Gland size

7

### Gland type

Armoured Barrier

### Outer sheath (min/max)

12-21

### Protection type

Flameproof and increased safety

### Sealing type

Silicone

### Thread Size

1/2"

### Nominal thread size inch/gas pipe thread

1/2 inch

### Pitch thread

1.81 mm

### Thread Length

22.2 mm

### Wrench width

30 mm

### Hexagon angular dimension

33 mm

### Suitable for cable diameter - max

21 mm

## Resources

### Technical data sheets

[ADE-6FC Datasheet](#)

Suitable for cable diameter - min

12 mm

Material quality

Stainless steel V4A

Surface protection

Untreated

Degree of protection (IP)

IP66

Model

Straight

Type of sealing

Diaphragm

Working temperature - max

80 °C

Working temperature - min

-60 °C

For ex-zone gas

1, 2

For ex-zone dust

21, 22

Fitted with:

Separable Screw Gland

Strain Relief

Integrated function

Screened

Lamp type included

Halogen Free

Thread type

NPT

Protection, proofing and resistance

Shock Resistant

Suitable for

Armoured cable

Version

Explosion - Tested

EMC



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com  
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)