

Eaton CD420HMI9W

Catalog Number: CD420HMI9W

Eaton Arrow Hart mechanical interlock, Horizontal, Non-fusible, 20A, Extra Heavy-Duty, 3Ø 250V, Back wire, Blue and gray, Brass, NEMA 4X, NEMA 12, IP66, Valox, Three-pole, Four-wire, grounding, Female, 5 HP, Rugged Valox, Three-phase

General specifications



Photo is representative

Product Name	Catalog Number
Eaton Arrow Hart pin and sleeve mechanical interlock	CD420HMI9W
	UPC
	040893687025
Product Length/Depth	Product Height
8.12 in	5.5 in
Product Width	Product Weight
6.37 in	0.25 lb
Compliances	Certifications
RoHS conform	Contact Manufacturer
	cRUus

defaultTaxonomyAttributeLabel

Special features

Horizontal, Non-fusible

Type

Mechanical interlock

Amperage Rating

20A

Voltage rating

250 V

Contact material

Brass

Application

Industrial, food and beverage, wastewater treatment

Number of wires

Grounding

4

Number Of Poles

Three-pole

Phase

Three-phase

Environmental resistance

NEMA 4X

IP66

NEMA 12

Color

Gray

Blue

Gender

Female

Horsepower

5 hp

Design type

Mechanical Interlock

Face/body material

Valox

Material

Resources

Brochures

[Eaton IEC 60309 Arrow Hart pin and sleeve devices brochure](#)

Specifications and datasheets

[Eaton Specification Sheet - CD420HMI9W](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia