

# Eaton CD430MI9W

Catalog Number: CD430MI9W

Eaton Arrow Hart mechanical interlock, Non-fusible, 30A, Extra Heavy-Duty, 3Ø 250V, Back wire, Blue and gray, Brass, NEMA 4X, NEMA 12, IP66, Valox, Three-pole, Four-wire, grounding, Female, 10 HP, Rugged Valox, Three-phase

## General specifications



<b>Product Name</b>	<b>Catalog Number</b>
Eaton Arrow Hart pin and sleeve mechanical interlock	CD430MI9W
	<b>UPC</b>
	040893694122
<b>Product Length/Depth</b>	<b>Product Height</b>
14.1 in	7.6 in
<b>Product Width</b>	<b>Product Weight</b>
7.3 in	4.9 lb
<b>Compliances</b>	<b>Certifications</b>
RoHS conform	Contact Manufacturer
	cRUus

## defaultTaxonomyAttributeLabel

### Special features

Non-fusible

### Type

Mechanical interlock

### Amperage Rating

30A

### Voltage rating

250 V

### Contact material

Brass

### Application

Industrial, food and beverage, wastewater treatment

### Number of wires

4

Grounding

### Number Of Poles

Three-pole

### Phase

Three-phase

### Environmental resistance

NEMA 12

IP66

NEMA 4X

### Color

Gray

Blue

### Gender

Female

### Horsepower

10 hp

### Design type

Mechanical Interlock

### Face/body material

Valox

### Material

## Resources

### Brochures

[Eaton IEC 60309 Arrow Hart pin and sleeve devices brochure](#)

### Specifications and datasheets

[Eaton Specification Sheet - CD430MI9W](#)

Rugged valox

---



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com  
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)