

Eaton CD430MIB9W

Catalog Number: CD430MIB9W

Eaton Arrow Hart mechanical interlock, Fused, Access panel, 30A, Extra Heavy-Duty, 3Ø 250V, Back wire, Blue and gray, Brass, NEMA 4X, NEMA 12, IP66, Valox, Three-pole, Four-wire, grounding, Female, 7.5 HP, Rugged Valox, Three-phase



General specifications

Product Name	Catalog Number
Eaton Arrow Hart pin and sleeve mechanical interlock	CD430MIB9W
	UPC
	032664653926
Product Length/Depth	Product Height
17 in	7.5 in
Product Width	Product Weight
7.5 in	6.25 lb
Compliances	Certifications
RoHS conform	Contact Manufacturer
	cRUus

Product specifications

Special features

Fused, Access panel

Phase

Three-phase

Color

Blue

Gray

Face/body material

Valox

Material

Rugged valox

Gender

Female

Amperage Rating

30A

Number Of Poles

Three-pole

Contact material

Brass

Type

Mechanical interlock

Horsepower

7.50 hp

Design type

Mechanical Interlock

Environmental resistance

NEMA 12

IP66

NEMA 4X

Number of wires

Grounding

4

Voltage rating

250 V

Application

Resources

Brochures

[Eaton IEC 60309 Arrow Hart pin and sleeve devices brochure](#)

Multimedia

[Pin and Sleeve Video](#)

Specifications and datasheets

[Eaton Specification Sheet - CD430MIB9W](#)

Industrial, food and beverage, wastewater treatment



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)