

Eaton CD530MI7W

Catalog Number: CD530MI7W

Eaton Arrow Hart mechanical interlock, Non-fusible, 30A, Extra Heavy-Duty, 3ØY 277/480V, Back wire, Red and gray, Brass, NEMA 4X, NEMA 12, IP66, Valox, Four-pole, Five-wire, grounding, Female, 20 HP, Rugged Valox, Three-phase

General specifications



Product Name

Eaton Arrow Hart pin and sleeve
mechanical interlock

Catalog Number

CD530MI7W

UPC

040893694948

Product Length/Depth

17 in

Product Height

7.7 in

Product Width

7.5 in

Product Weight

4 lb

Compliances

RoHS conform

Certifications

Contact Manufacturer
cRUus

defaultTaxonomyAttributeLabel

Special features

Non-fusible

Type

Mechanical interlock

Amperage Rating

30A

Voltage rating

277/408 V

Contact material

Brass

Application

Industrial, food and beverage, wastewater treatment

Number of wires

5

Grounding

Number Of Poles

Four-pole

Phase

Three-phase

Environmental resistance

IP66

NEMA 12

NEMA 4X

Color

Gray

Red

Gender

Female

Horsepower

20 hp

Design type

Mechanical Interlock

Face/body material

Valox

Material

Resources

Brochures

[Eaton IEC 60309 Arrow Hart pin and sleeve devices brochure](#)

Specifications and datasheets

[Eaton Specification Sheet - CD530MI7W](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia