

# Eaton MCR300FTPI

Catalog Number: MCR300FTPI

Eaton ArrowLink modular receptacle connector, SPD Modular Receptacle Connector, 20 A, Gray, Polycarbonate, Two-pole, Three-wire, Single, Push-in terminal, 300 V/AC, 14 -12 AWG, Push-in terminal

## General specifications

<b>Product Name</b>	<b>Catalog Number</b>
Eaton ArrowLink modular receptacle connector	MCR300FTPI
	<b>UPC</b>
	032664711374
<b>Product Length/Depth</b>	<b>Product Height</b>
0.5 in	1.43 in
<b>Product Width</b>	<b>Product Weight</b>
1.43 in	0.314 lb
<b>Warranty</b>	<b>Compliances</b>
Refer to warranty document.	RoHS Compliant
<b>Certifications</b>	
cULus Listed	
UL Listed	



## Product specifications

### Product category

Receptacle connector

### Phase

Single-phase

### Color

Gray

### Wiring method

Push-in terminal

### Features

Push-in terminal

### Material

Polycarbonate

### Allowable wire size

#14-12 AWG

### Amperage Rating

20A

### Number of poles

Two-pole

### Type

SPD push-in terminal connector

### Used with

Arrowlink receptacle

### Number of wires

3

### Voltage rating

300V

## Resources

### Brochures

[Arrow Hart food and beverage solutions](#)

### Specifications and datasheets

[ArrowLink modular receptacle connector spec sheet](#)

[Eaton Specification Sheet - MCR300FTPI](#)



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com  
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)