

Eaton RDU113506

Catalog Number: RDU113506

Eaton Redapt AYU Adaptor, Y Shape, M50 Male x M25 Female, Brass, Unplated

General specifications

Product Name	Catalog Number
Eaton Redapt Metallic Adaptor and Reducer - Adaptor	RDU113506
	EAN
	5056009962899
Product Length/Depth	Product Height
46 mm	92.388 mm
Product Width	Product Weight
80.01 mm	1.445 kg
Warranty	Compliances
No warranty	Contact Manufacturer
	Multiple listings- contact manufacturer

Product specifications

NEC hazardous rating

- Class I, Division 1
- Class II, Division 2
- Class III
- Class I, Zone 1

Insulator

- Non-insulated

Shape

- Standard

Ingress protection (IP) ratings

- IP66
- IP67
- IP68

End 1 Size

- 2 1/2" NPT

Material

- Brass

Standards type

- IEC

Gender end 1

- Male

Type of adapter/reducer

- Standard

End 2 Type

- Metric

Gender end 2

- Female

End 1 Type

- NPT

End 2 Size

- M32

NEMA Rating

- 4X
- 6P

Area classification

- Hazardous/Classified Locations

Resources

Brochures

- Oil and Gas Global catalogue

Certification reports

- CCoE Certificate - Reducers
 - INMETRO Certificate - Adaptors, reducers, unions and plugs
 - CSA Quality Assurance Notification Certificate
 - ATEX Certificate - Adaptors, reducers and unions
 - Raxton and Redapt Regulatory instructions
 - IECEx Quality Assessment Report
 - CCoE Certificate - Adaptors
 - CSA Certificate - Adaptors, reducers, unions and plugs
 - IECEx Certificate - Adaptors, reducers and unions
 - EAC Certificate - Adaptors, reducers and unions
- ### Technical data sheets
- Redapt AF-U adaptors - Datasheet
 - Redapt AM-U adaptors - Datasheet
 - Redapt AD-U adaptors and RD-U reducers - Datasheet

Plating

Electroless nickel



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)