

# Eaton RDU113607

Catalog Number: RDU113607

Eaton Redapt AYU Adaptor, Y Shape, M40 Male x M40 Female, Brass, Electroless Nickel

## General specifications

<b>Product Name</b>	<b>Catalog Number</b>
Eaton Redapt Metallic Adaptor and Reducer - Adaptor	RDU113607
	<b>EAN</b>
	5056009963001
<b>Product Length/Depth</b>	<b>Product Height</b>
46 mm	104.119 mm
<b>Product Width</b>	<b>Product Weight</b>
90.17 mm	2.007 kg
<b>Warranty</b>	<b>Compliances</b>
No warranty	Contact Manufacturer
	Multiple listings- contact manufacturer

## Product specifications

### NEC hazardous rating

Class I, Division 1

Class II, Division 2

Class III

Class I, Zone 1

### Insulator

Non-insulated

### Shape

Standard

### Ingress protection (IP) ratings

IP66

IP67

IP68

### End 1 Size

3" NPT

### Material

Brass

### Standards type

IEC

### Gender end 1

Male

### Type of adapter/reducer

Standard

### End 2 Type

Metric

### Gender end 2

Female

### End 1 Type

NPT

### End 2 Size

M40

### NEMA Rating

4X

6P

### Area classification

Hazardous/Classified Locations

## Resources

### Brochures

Oil and Gas Global catalogue

### Certification reports

IECEX Quality Assessment Report

CSA Certificate - Adaptors, reducers, unions and plugs

CCoE Certificate - Adaptors

CSA Quality Assurance Notification Certificate

CCoE Certificate - Reducers

INMETRO Certificate - Adaptors, reducers, unions and plugs

Raxton and Redapt Regulatory instructions

ATEX Certificate - Adaptors, reducers and unions

IECEX Certificate - Adaptors, reducers and unions

EAC Certificate - Adaptors, reducers and unions

### Technical data sheets

Redapt AM-U adaptors - Datasheet

Redapt AD-U adaptors and RD-U reducers - Datasheet

Redapt AF-U adaptors - Datasheet

Plating

Electroless nickel



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com

© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)