

Eaton RDU303230

Catalog Number: RDU303230

Eaton Redapt RDU Reducer, M50 Male x M16 Female, Brass, Unplated

General specifications

Product Name	Catalog Number
Eaton Redapt Metallic Adaptor and Reducer - Adaptor	RDU303230
	EAN
	5056009963773
Product Length/Depth	Product Height
35 mm	51.326 mm
Product Width	Product Weight
44.45 mm	0.26 kg
Warranty	Compliances
No warranty	Contact Manufacturer
	Multiple listings- contact manufacturer

Product specifications

NEC hazardous rating

- Class I, Division 1
- Class II, Division 2
- Class III
- Class I, Zone 1

Insulator

- Non-insulated

Shape

- Standard

Ingress protection (IP) ratings

- IP66
- IP67
- IP68

End 1 Size

- 1 1/4" NPT

Material

- Stainless steel

Standards type

- IEC

Gender end 1

- Male

Type of adapter/reducer

- Standard

End 2 Type

- NPT

Gender end 2

- Female

End 1 Type

- NPT

End 2 Size

- 3/4" NPT

NEMA Rating

- 4X
- 6P

Area classification

- Hazardous/Classified Locations

Resources

Brochures

- Oil and Gas Global catalogue

Certification reports

- Raxton and Redapt Regulatory instructions
- INMETRO Certificate - Adaptors, reducers, unions and plugs
- IECEX Quality Assessment Report
- CCoE Certificate - Reducers
- IECEX Certificate - Adaptors, reducers and unions
- CCoE Certificate - Adaptors
- CSA Certificate - Adaptors, reducers, unions and plugs
- ATEX Certificate - Adaptors, reducers and unions
- CSA Quality Assurance Notification Certificate
- EAC Certificate - Adaptors, reducers and unions

Technical data sheets

- Redapt AF-U adaptors - Datasheet
- Redapt AD-U adaptors and RD-U reducers - Datasheet
- Redapt AM-U adaptors - Datasheet

Plating
Unplated



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)