

Eaton RDU303330

Catalog Number: RDU303330

Eaton Redapt RDU Reducer, M50 Male x 1" NPT Female, Brass, Unplated

General specifications

Product Name	Catalog Number
Eaton Redapt Metallic Adaptor and Reducer - Adaptor	RDU303330
	EAN
	5056009963834
Product Length/Depth	Product Height
35 mm	60.125 mm
Product Width	Product Weight
52.07 mm	0.397 kg
Warranty	Compliances
No warranty	Contact Manufacturer
	Multiple listings- contact manufacturer

Product specifications

NEC hazardous rating

Class I, Division 1
Class II, Division 2
Class III
Class I, Zone 1

Insulator

Non-insulated

Shape

Standard

Ingress protection (IP) ratings

IP66
IP67
IP68

End 1 Size

1 1/2" NPT

Material

Stainless steel

Standards type

IEC

Gender end 1

Male

Type of adapter/reducer

Standard

End 2 Type

NPT

Gender end 2

Female

End 1 Type

NPT

End 2 Size

3/4" NPT

NEMA Rating

4X
6P

Area classification

Hazardous/Classified Locations

Resources

Brochures

Oil and Gas Global catalogue

Certification reports

IECEX Quality Assessment Report
CSA Quality Assurance Notification Certificate
INMETRO Certificate - Adaptors, reducers, unions and plugs
CCoE Certificate - Adaptors
CSA Certificate - Adaptors, reducers, unions and plugs
CCoE Certificate - Reducers
EAC Certificate - Adaptors, reducers and unions
ATEX Certificate - Adaptors, reducers and unions
Raxton and Redapt Regulatory instructions
IECEX Certificate - Adaptors, reducers and unions

Specifications and datasheets

Eaton Specification Sheet - RDU303330

Technical data sheets

Redapt AF-U adaptors - Datasheet
Redapt AD-U adaptors and RD-U reducers - Datasheet
Redapt AM-U adaptors - Datasheet

Plating
Unplated



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)