



Respiratory

PROTECTION

Compact Air 200 Series PAPR

No Worry, No Guess Work

The North Compact Air 200 Series Powered Air Purifying Respirator (PAPR) lets you know when the battery is low or your filters are clogged.

Now you can continue working as long as possible without trying to guess when the battery will need recharging or your filters need to be changed. The North Compact Air 200 Series PAPR includes multiple alarms, giving you the heads up you need to work as long as possible without fear of losing power.



Hear It, See It, Feel It: Triple Alarm System

A system of three different alarms (audible, visual and vibration) will alert the user at 10% remaining battery life, increase to a continuous audible alarm at 5% of remaining battery life, plus alarm when filters are blocked or clogged. The audible alarm is located near the breathing tube so sound will travel to the workers' zone of hearing.

An additional vibratory alarm also goes off, assuring that even those workers who are hearing impaired or are in extremely noisy environments will be alerted to the low battery or clogged filter. The third alarm is a LED light that will let the worker know if the battery is low or if the filter needs changing.

- Triple alarm system creates an audible, vibratory and visual alarm to warn workers of battery life and/or filter clog
- Vibratory alarm that can be felt even through welding jackets; warns workers who are hearing impaired or in high noise environments
- Two visual alarms: one for low battery and a separate one for a clogged filter; workers will know the alarm reason and maintain the PAPR accordingly
- Lightweight for improved comfort and longer wear
- The same unit can be used for either tight facepieces or loose fitting hoods to accommodate different needs and preferences
- Airflow is automatically adjusted to meet OSHA and CSA CFM requirements

⚠ WARNING! North and Honeywell Respiratory equipment should only be used in conjunction with the manufacturer's instructions. Failure to follow such instructions could result in serious injury, illness or fatality.

Honeywell



by Honeywell

DISPOSABLE RESPIRATORS

Sperian – ONE-Fit™ NBW95 and NBW95V Molded Cup Particulate Respirators

- Exclusive design and shape that contours with the natural shape of the face
- 95% filtration efficiency against solid particulates and non-petroleum based liquid aerosols
- Strong and rigid outer shell prevents mask from collapse in high humidity or moist environments
- Contoured mask fits with the natural shape of the face, minimizing pressure points
- Molded nose bridge comfortably fits a variety of face shapes and sizes
- Dual welded head straps keep the respirator comfortably on the user's face



Sperian is now Honeywell

SKU	Style No.	Size	Description
14110444	NBW95	1 Size	Molded Cup, N95 Non-Valved
14110445	NBW95V	1 Size	Molded Cup, N95 Valved

Sperian – SAF-T-FIT® Plus

- Nose clip is color-coded for visible size recognition
- N95, N99, P95 or P100 protection to choose from
- Molded cup design
- Low breathing resistance
- Humidity-resistant filter media
- Durable suspension straps
- Latex free



P1130



Sperian is now Honeywell

SKU	Style No.	Filtration	Description	Size: Medium/Large
14110391	N1115 M/L	N95	Boomerang Nose Seal	
14110394	N1125 M/L	N95	Boomerang Nose Seal, Exhalation Valve	
14110397	N1125-OV M/L	N95	Boomerang Nose Seal, Exhalation Valve, Nuisance OV	
14110403	N1139 M/L	N99	Full Face Seal, Adjustable Straps, Exhalation Valve	
14110440	P1130	P100	Full Face Seal, Adjustable Straps, Exhalation Valve	

N1115

Available in different sizes.

LIMITED USE RESPIRATORS

North – CFR-1

- Elastomeric face seal offers superior fit over filtering facepieces; filters are not in direct contact with the workers face
- Cradle suspension with parking feature; mask is at the ready
- User seal check gasket for ease in performing a negative user seal check
- Exhalation valve limits build up of warm, moist exhaled breath and lessens carbon build up



4200



SKU	Size	Description
4200S	Small	Limited Use Elastomeric Facepiece
4200M	Medium	Limited Use Elastomeric Facepiece
4200L	Large	Limited Use Elastomeric Facepiece
42N95		Replacement Filters 20 per/box

Call Customer Care at 800 430-5490.

Call Customer Care at 800 430-4110.

REUSABLE AIR PURIFYING RESPIRATORS



5583P100

North 5500 and 5500 Convenience Packs

- 5500 Half mask is elastomeric and silicone blend for a soft comfortable fit
- Convenience packs include – 5500 Half mask, cartridges and/or filters for convenience
- Cartridges and filters are replaceable so facepiece can be re-used
- Ideal as an economical respirator for sub-contractors, plant guests and occasional users
- Elastomeric with a silicone blend is economical and softer than other elastomeric masks
- Can be adapted to PAPR or Supplied Air to offer flexibility in the workplace

SKU	Size	Description
5580	Sm/Med/Lrg	5500 w/7580P100 for particulates
5501N95	Sm/Med/Lrg	5500 w/N75001 OV and N7506N95 prefilter for painting and pesticide applications
5583P100	Sm/Med/Lrg	5500 w/7583P100 OV AG for heavy spray applications and industrial use
550030	Sm/Med/Lrg	Economical half mask



770030

North Premium Silicone Half Mask

- 100% Silicone facepiece is flexible, to provide a soft, secure and comfortable fit
- Dual elasticity headstraps provide a secure and flexible fit
- Wide contoured sealing area fits a greater variety of facial types
- Variable thickness in sealing area provides the optimal amount of seal on each area of the face for superior comfort without sacrificing fit
- Can be adapted to PAPR or Supplied Air to offer flexibility in the workplace

SKU	Size	Description
770030S	Small	Premium Silicone Half Mask
770030M	Medium	Premium Silicone Half Mask
770030L	Large	Premium Silicone Half Mask



BP1002

Shown here with 7700, mask not included

SKU	Description
Accessory	
BP1002	Backpack for use with North 5500 and 7700 series; cartridges moved to the back for a lower profile to fit under welding helmets and face shields



54001

North 5400 Series Full Facepiece

- Wide sealing area for improved fit and ability to fit more facial types
- Nose cup provides less dead air space and channels exhaled breath
- Latex free, with no natural rubber proteins which may cause an allergic reaction
- Lens offers 200° field of vision and downward view for optimal viewing area in all directions
- Polycarbonate lens meets ANSI requirements for high impact
- Can be adapted to PAPR or Supplied Air to offer flexibility in the workplace

SKU	Size	Description
54001S	Small	Economy Elastomeric Full Facepiece w/4 Point Headstrap
54001	Medium/Large	Economy Elastomeric Full Facepiece w/4 Point Headstrap

Call Customer Care at 800 430-4110.

REUSABLE AIR PURIFYING RESPIRATORS

North 7600 Series Full Facepiece 

- 100% Silicone facepiece is flexible, to provide a soft, secure and comfortable fit
- Wide sealing area for improved fit and ability to fit more facial types
- Nose cup provides less dead air space and channels exhaled breath
- Speech diaphragm is standard to amplify workers' conversations
- Lens offers 200° field of vision and downward view for optimal viewing area in all directions
- Polycarbonate lens meets ANSI requirements for high impact
- Also available with welding adaptor
- Can be adapted to PAPR or Supplied Air to offer flexibility in the workplace



NORTH
by Honeywell

760008A

SKU	Size	Description
760008AS	Small	Premium Elastomeric Full Facepiece w/5 Point Headstrap
760008A	Medium/Large	Premium Elastomeric Full Facepiece w/5 Point Headstrap
760008ASW	Small	Premium Elastomeric Full Facepiece w/5 Point Headstrap and welding attachment
760008AW	Medium/Large	Premium Elastomeric Full Facepiece w/5 Point Headstrap and welding attachment

North Airline Breathing Tube 

- Breathing tubes thread into North cartridge connectors for flexibility of use, fitting North's popular Full and Half face masks
- Unique Y breathing tube has a 360° swivel connection to allow full movement
- Breathing tube is in the back as to not interfere with the task at hand
- Low profile connectors for wear under welding helmet or faceshields



NORTH
by Honeywell

CF2007

Breathing tube shown on 7600 face mask, face mask not included

SKU	Description	Packaging
Breathing Tube For Tight Fitting Facepieces		
CF2007	Airline breathing tube and belt assembly for use with North tight fitting facepieces	Each

 Call Customer Care at 800 430-4110.

N-SERIES CARTRIDGES AND FILTERS



75SC



N75001



N75002



N75003



N75004

North Gas and Vapor Cartridges

SKU	Description	Packaging
75SC	Defender™ Multi-Purpose Approved for use against Organic Vapors, Ammonia, Methylamine, Formaldehyde and Acid Gases (Chlorine, Hydrogen Chloride, Sulfur Dioxide, Hydrogen Sulfide (escape), Chlorine Dioxide, Hydrogen Fluoride)	Pair
N75001	Organic Vapor Approved for use against Organic Vapors	Pair
N75002	Acid Gas Cartridge Approved for use against Acid Gases (Chlorine, Hydrogen Chloride, Sulfur Dioxide, Hydrogen Fluoride and Chlorine Dioxide) and Formaldehyde	Pair
N75003	Organic Vapor and Acid Gases Approved for use against Organic Vapors and Acid Gases (Chlorine, Hydrogen Chloride, Sulfur Dioxide, Hydrogen Fluoride and Chloride Dioxide)	Pair
N75004	Ammonia and Methylamine Approved for use against Ammonia and Methylamine	Pair

North Combination Gas and Vapor Cartridges with P100 Particulate Filters

SKU	Description	Packaging
75SCP100	Defender™ Multi-Purpose Approved for use against Organic Vapors, Ammonia, Methylamine, Formaldehyde and Acid Gases (Chlorine, Hydrogen Chloride, Sulfur Dioxide, Hydrogen Sulfide (escape), Chloride Dioxide, Hydrogen Fluoride); and 99.97% filter efficiency for all particulates	Pair
7581P100	Organic Vapor with P100 Approved for use against Organic Vapors and 99.97% filter efficiency for all particulates	Pair
7582P100	Acid Gas with P100 Approved for use against Acid Gases (Chlorine, Hydrogen Chloride, Sulfur Dioxide, Hydrogen Sulfide (escape), Chloride Dioxide, Hydrogen Fluoride); and 99.97% filter efficiency for all particulates	Pair
7583P100	Organic Vapor and Acid Gas with P100 Approved for use against Organic Vapors and Acid Gases (Chlorine, Hydrogen Chloride, Sulfur Dioxide, Hydrogen Sulfide (escape), Chloride Dioxide, Hydrogen Fluoride); and 99.97% filter efficiency for all particulates	Pair
7584P100	Ammonia and Methylamine Approved for use against Ammonia and Methylamine; and 99.97% filter efficiency for all particulates	Pair



75SCP100



7581P100



7582P100



7583P100



7584P100

Call Customer Care at 800 430-4110.

N-SERIES CARTRIDGES AND FILTERS

Particulate Filters 

SKU	Description	Packaging
7580P100	P100 99.97% efficiency for all particulates	Pair
75FFP100	Pancake, Low Profile P100 Filter For use under welding helmets; 99.97% efficiency for all particulates	Pair
75FFP100NL	Pancake with Odor Relief Low Profile P100 Filter For use under welding helmets; 99.97% efficiency for all particulates, plus relief from odors caused by nuisance levels of organic vapors, acid gases and ozone	Pair
7506N95	N95 Prefilter 95% filter efficiency for non-oil based aerosol particulates	Pair



7580P100



75FFP100



75FFP100NL



7506N95

Accessories 

SKU	Description	Packaging
N750027	Seal Check / Filter Cover Snaps on top of prefilters to hold them in place on North cartridges or on N750015 filter holder	Each
N750029	Shower Cap For use with 7580P100 – deflects moisture during “Decon” shower, and sparks and slag during welding and grinding	Each



N750027



N750029

REUSABLE AIR PURIFYING RESPIRATORS

Sperian Survivair Blue 1™ 

- Dual flange silicone provides a more comfortable and secure fit
- Features a speaking diaphragm for improved communication
- Compatible with S-Series filters and cartridges
- Packaged in a resealable bag to protect the respirator from contamination when not in use

SKU	Size	Description
B210010	Small	S-Series, Silicone Half Mask
B220010	Medium	S-Series, Silicone Half Mask
B230010	Large	S-Series, Silicone Half Mask

Sperian is now Honeywell



B210010

Sperian Survivair 2000™ 

- Head harness designed to reduce facepiece slippage
- Silicone facepiece construction is lightweight and durable
- Rear split strap for easy donning and better support
- Easily converts to belt-mounted PAPR or SAR-CF
- Compatible with S-Series filters and cartridges

SKU	Size	Description
B250000	Small	S-Series, Basic Silicone Half Mask
B260000	Medium	S-Series, Basic Silicone Half Mask
B270000	Large	S-Series, Basic Silicone Half Mask

Sperian is now Honeywell



B260000

 Call Customer Care at 800 430-5490.

 Call Customer Care at 800 430-4110.

REUSABLE AIR PURIFYING RESPIRATORS

Sperian is now Honeywell



322500

Sperian Survivair PREMIER® Plus

- Triple flange design provides added sealing security
- Silicone facepiece construction is lightweight and durable
- Wide, wraparound, pleated silicone facepiece fits a large variety of facial types
- Strategic lateral placement of inhalation valves and cartridge ports enhances field of vision
- Yoke strap is contoured to match the skirt shape for even pressure point placement
- Cradle and straps are wider to assist in weight distribution for enhanced comfort
- Rear split strap for better support with retainer clips to hold excess straps in place
- Compatible with S-Series filters and cartridges

SKU	Size	Description
321500	Small	Silicone Facepiece, Fits Petite Face Profiles
322500	Medium/Large	Basic Silicone Facepiece, Fits Wider Face Profiles

Sperian is now Honeywell



752000

Sperian Survivair Opti-Fit™ APR

- Choose from a 5-point strap or industrial mesh headnet to fit your comfort and needs
- Silicone skirt offers exceptional durability and comfort
- All straps are attached to the rim of the facepiece, rather than the silicone skirt, to reduce pressure points and distortion of the sealing surface when tightened
- Replaceable, high impact resistant polycarbonate lens treated with anti-scratch coating
- Mask designed with a wide viewing area offering distortion free visibility and optical clarity
- Molded-in speaking diaphragm provides improved audio transmission for communication
- Compatible with S-Series filters and cartridges
- Available in 3 sizes for wide range of fit

SKU	Size	Description
Compatible with S-Series filters and cartridges		
752000	Small	S-Series, 5-Strap Suspension
762000	Medium	S-Series, 5-Strap Suspension
772000	Large	S-Series, 5-Strap Suspension



520500

Sperian is now Honeywell

Sperian Survivair Opti-Fit Convertible Mask Mounted PAPR

SKU	Size	Description
520500	Small	Survivair Opti-Fit, 5-Pt. Strap, Mask-Mounted PAPR
520600	Medium	Survivair Opti-Fit, 5-Pt. Strap, Mask-Mounted PAPR
520700	Large	Survivair Opti-Fit, 5-Pt. Strap, Mask-Mounted PAPR

Accessories	
108000	PAPR Filter, High Efficiency (HE) (Box of 4 filters)

 Call Customer Care at 800 430-5490.

S-SERIES CARTRIDGES AND FILTERS

Sperian Gas and Vapor Cartridges 

Sperian is now Honeywell

SKU	Description	Packaging
B100100	Organic Vapors Approved for use against Organic Vapors	6 per box
B100200	Acid Gases Approved for use against Chlorine, Hydrogen Chloride, Sulfur Dioxide and Formaldehydes	6 per box
B100300	Organic Vapors / Acid Gases Approved for use against Organic Vapors, Chlorine, Hydrogen Chloride, Sulfur Dioxide, Formaldehyde and Hydrogen Sulfide (escape)	6 per box
100800	Multi-Contaminant Approved for use against Approved for use against Organic Vapors, Ammonia, Methylamine, Chlorine, Hydrogen Chloride, Sulfur Dioxide, Chlorine Dioxide, Hydrogen Fluoride, Formaldehyde and Hydrogen Sulfide (escape) and Nitrogen Dioxide	Pair
	N95 Filter 95% efficient against particulate aerosols free of oil	
B140074	Filter Base	2/Pkg
106010	Filter	24/Box
140170	Retainer	2/Pkg
105005	P100 Filters 99.97% efficient against particulate aerosols free of oil	10/box
105110	OV/P100 Filter Cartridge	4/Box
105210	AG/P100 Filter Cartridge	4/Box
105310	OV/AG/P100 Filter Cartridge	4/Box
105410	AM/MA/P100 Filter Cartridge	4/Box
105810	MA/P100 Filter Cartridge	4/Box



B100100



B100200



B100300



100800



B140074



106010



140170



105005



105210



105410



105110



105310



105810

 Call Customer Care at 800 430-5490.

ESCAPE MOUTHPIECE RESPIRATOR



7902

North Mouthbit Respirators

- Mouthbit respirators offer a quick and economical method to escape non-IDLH emergency situations
- Large, soft and flexible nose pads hold securely without pinching
- Wider nose clip fits a variety of facial types
- Silicone mouthpiece is more comfortable to wear over long periods
- Packed in sealable plastic bag, carrying bag sold separately (79BAG)

SKU	Description	Packaging
7902	Acid gas mouthbit respirator for protection from atmospheres containing Chlorine, Hydrogen Chloride, Sulfur Dioxide, Hydrogen Sulfide, (escape) Chloride Dioxide, Hydrogen Fluoride	Universal size

POWERED AIR-PURIFYING SYSTEMS (PAPR)



CA201



North Compact Air Series 200 PAPR

- Triple alarm system creates an audible, vibratory and visual alarm to warn workers of battery life and/or filter clog
- Vibratory alarm that can be felt even through welding jackets; warns workers who are hearing impaired or in high noise environments
- Two visual alarms: one for low battery and a separate one for a clogged filter; workers will know the alarm reason and maintain the PAPR accordingly
- Lightweight for improved comfort and longer wear
- The same unit can be used for either tight facepieces or loose fitting hoods to accommodate different needs and preferences
- Airflow is automatically adjusted to meet OSHA and CSA CFM requirements

SKU	Description	Packaging
-----	-------------	-----------

Select your 200 Series Blower and Battery

CA201	Compact Air 200 PAPR blower and battery assembly with backpad and nylon belt	Each
CA201D	Compact Air 200 PAPR blower and battery assembly with decon and PVC belt	Each

Select your Breathing Tube

CA127	34" straight tube for use with Primair Series loose fitting headcovers
CA127L	40" straight tube for use with Primair Series loose fitting headcovers
CA229	34" "Y" breathing tube, for use with North tight fitting facepieces

Select your Cartridge Filter

SKU	Environment	Cartridge and HEPA Filter
4001	Organic Vapor	4001HE
4003	Organic Vapor/Acid Gas	4003HE
4004	Ammonia/Methylamine	4004HE
40HE	HEPA	



4001

 Call Customer Care at 800 430-4110.

LOOSE FITTING HEAD COVERS

Primair 100 Series 

- Ideal for pharmaceutical and other light duty industries, NIOSH approved with an APF of 25
- Manifold directs air flow to the front lens not in worker's eyes
- Multiple size adjustments for a comfortable and personal fit
- Hoods are durable and lightweight, made from spun bond polypropylene
- PA101 is less bulky than full hoods; sealing under the chin, without covering the ears

SKU	Size	Description	Packaging
PA101S	Small	Primair 100 headgear with Primair loose fitting head cover	Each
PA101M	Medium	Primair 100 headgear with Primair loose fitting head cover	Each



NORTH
by Honeywell

PA101

Primair Plus Hoods 

- Adjustable bib length or cotton neck seal; workers can customize to their liking or need
- Manifold directs air flow to the front lens not in worker's eyes
- Multiple size adjustments for a comfortable and personal fit
- North Primair Plus is a full, spun bond polypropylene hood available coated and uncoated: coated hoods provide incidental protection from occasional splash
- Peel-away window is available (item # PA105) to protect the lens from splatter, extending the life of the lens

SKU	Description	Packaging
PA111	Primair 100 headgear with Primair Plus hood	Each
PA131	Hood with cotton neck assembly for Primair 100 headgear	Each
PA231E01	Hood with cotton neck assembly for Primair 200 headgear, includes Fibre-Metal E2 hard hat and carbtex cover for protection during welding and grinding	Each



NORTH
by Honeywell

PA111

Breathing Tubes for Compact Air PAPR for North Hoods and Facepieces 

SKU	Description	Packaging
CA127	34" Straight Tube for North Primair Series	Each
CA127L	40" Straight Tube for North Primair Series	Each
CA229	34" Y Tube for North Half Masks and Full Facepieces	Each



NORTH
by Honeywell

CA127

 Call Customer Care at 800 430-4110.

CONTINUOUS FLOW SUPPLIED AIR RESPIRATORS (CF-SAR)

Honeywell



86610

Ambient Air Pump 3/4 HP

- For two workers with a tight fitting facepiece or one worker with loose fitting hood
- Lightweight unit featuring carry handle (55 lbs)
- Supplies up to 10 cfm
- Ideal for a variety of work environments including painting and refinishing booths
- 2 facepieces maximum, 1 hood maximum

SKU	Description	Packaging
86610	¾ HP ambient air breathing pump	Each

Honeywell



86630

Ambient Air Pump 1/2 HP

- For three workers with a tight fitting facepiece or two workers with a loose fitting hood
- Built in cooling fan
- Supplies up to 20 cfm
- Ideal for heavy duty applications
- 3 facepieces maximum, 2 hoods maximum

SKU	Description	Packaging
86630	1 ½ HP ambient air breathing pump	Each

Honeywell



86620

Compressor for Pressure Demand Airline

- For use in confined space or in other IDLH environments
- Portable and lightweight to be easily transported
- Connect two workers using pressure demand respirators
- Warning alarm sounds at 84dB from 100 feet away
- Compressed air system supplies up to 100 PSI

SKU	Description	Packaging
86620	Compressor	Each

Honeywell



RPFP100A

Portable Air Filtration Panels

- Sealed safety case protects from dust and liquid penetration
- Clear window allows for an unobstructed view of the gauge inside the case
- Case is lockable to prevent an unauthorized person to change the air flow
- CO monitor features a visual alarm and up to 90dB audible sound
- Pressure regulator with adjustable knob and locking ring allows the pressure to be set according to Respirator's manufacturer's recommendations
- RPFP60A for USA market, CO monitor is set at 10 ppm per OSHA 29 CFR 1910.134

SKU	Description	Dimensions/Weight (lbs)
RPFP60A	60 CFM max flow and 150 psig max inlet, capable for up to 4 workers	21" x 14.5" x 6.75" / 22 lbs
RPFP100A	100 CFM max flow and 150 psig max inlet, capable for up to 8 workers	23" x 16.5" x 7.5" / 24 lbs

Call Customer Care at 800 430-4110.

ESCAPE SOLUTIONS

North Escape Breathing Apparatus (EEBA) 

- Transparent polyurethane hood is less claustrophobic and allows for 360° sight
- Full flow of air at a quarter turn provides air flow as quickly as possible
- Air deflector directs air to front of hood and away from workers' eyes
- Pictogram instructions on carrying bag can be understood in any language
- 42 lpm of breathing air is higher than many units so worker is less likely to over breathe
- High visibility carrying bag (EB)



845 and 850

SKU	Description	Packaging
845	5 minute breathing time EEBA; bright yellow carrying bag	Each
850	10 minute breathing time EEBA; bright orange carrying bag	Each

Sperian Survivair Escape Breathing Apparatus (EBA) 

Sperian is now Honeywell

- The EBA – 5 min /10 min are composed of a refillable cylinder
- Features a valve and pressure gauge assembly, breathing tube, protective air hood and regulator assembled in a carry pouch for added convenience
- Hood fits easily over eye glasses, beards and hard hats
- Flexible hood has a large opening with draw string offers a proper fit to wearers
- Clear tuftane film hood with a permanent anti-fog coating



975090

SKU	Description
975080	Survivair 5-Minute Escape Breathing Apparatus (EBA-5)
975090	Survivair 10-Minute Escape Breathing Apparatus (EBA-10)

PRESSURE DEMAND SUPPLIED AIR RESPIRATORS (PD-SAR)

Tight-Fitting Pressure Demand SAR 

Sperian is now Honeywell

- Respirators and Hip-Pacs provide the highest level of interchangeability, protection, and ease of operation
- Full Facepiece PD SARs offer the simplicity and reliability of Survivair Panther® mask-mounted regulators
- Hip-Pacs enhance protection in environments immediately dangerous to life or health (IDLH), with 5-, 10-, or 15-minute escape cylinders
- Survivair Panther PD SARs and Hip-Pacs provide significant cost savings and convenience as part of fully interchangeable respirator systems



P968457

SKU	Description
Survivair Panther Hip-Pac, Mask-Mounted Regulator, with 5-Minute Emergency Escape	
P968457	2216 psig, Aluminum, w/Quick Disconnect, No Coupling, TC-13F-300
Survivair Panther Hip-Pac, Mask-Mounted Regulator, with 10-Minute Emergency Escape	
P968477	3000 psig, Aluminum, w/out Quick Disconnect, No Coupling, TC-13F-301

 Call Customer Care at 800 430-5490.

 Call Customer Care at 800 430-4110.

INDUSTRIAL SELF-CONTAINED BREATHING APPARATUS (SCBA)

An Affordable SCBA with the finest respiratory protection

The Survivair Cougar™ meets the demands of industrial users who want the finest respiratory protection against environments that are Immediately Dangerous to Life or Health (IDLH). The Survivair Cougar is designed to be a basic industrial unit, yet provides superior safety and comfort for industrial needs.

Sperian is now Honeywell



888888

Sperian Survivair Cougar™ SCBA

- Silicone rubber facepiece provides unsurpassed comfort and durability, even in extreme heat or cold. Won't oxidize or react with ozone. Also provides better sealing ability for improved comfort and fit. Five-strap head harness and skirt are available in 3 color-coded sizes (TwentyTwenty® Plus facepiece). Available in small and standard sizes in blue and black (Classic™ facepiece)
- Optional headnet mesh-style head harness
- First stage regulator has minimal moving parts, dramatically enhancing reliability while reducing maintenance costs. Choice of three low air alarms – bell, plain whistle, or warbling whistle
- Second stage regulator has compact, low profile; Survivair Air Klic™ fastening system; first-breath-on; better downward vision for less chance of damage; allows attachment in any orientation; regulator holder on waist strap allows regulator to be kept in stand-by mode
- Survivair Mighty-Light® backpack is one of the lightest, easiest to use, and most comfortable backpacks in the industry; no tools required – no bolts or screws on harness for quick, easy disassembly and assembly

SKU	Description
-----	-------------

888888	Survivair Cougar
--------	------------------

Stock configuration includes: Survivair Cougar, 2216 psig, bell alarm (22NB). 2216 psig, 30-minute aluminum cylinder, without locking collar (915141). TwentyTwenty Plus facepiece, medium, black, medium nose cup, silicone headstrap (252022)

555555	Survivair Cougar
--------	------------------

Stock configuration includes: Survivair Cougar, 4500 psig, bell alarm (22NB). 4500 psig, 60-minute carbon cylinder, without locking collar (915141). TwentyTwenty Plus facepiece, medium, black, medium nose cup, silicone headstrap (252022)

483121	Survivair Cougar
--------	------------------

Configuration includes: Survivair Cougar, 2216 psig, bell alarm (22NB). 2216 psig, 30-minute carbon cylinder, without locking collar (915141). TwentyTwenty Plus facepiece, medium, black, medium nose cup, silicone headstrap (252022), SAR attachment with Hansen couplings, carry case

486121	Survivair Cougar
--------	------------------

Configuration includes: Survivair Cougar, 4500 psig, bell alarm (22NB). 4500 psig, 30-minute carbon cylinder, without locking collar (915141). TwentyTwenty Plus facepiece, medium, black, medium nose cup, silicone headstrap (252022), SAR attachment with Hansen couplings, carrying case

 Call Customer Care at 800 430-5490.

INDUSTRIAL SELF-CONTAINED BREATHING APPARATUS (SCBA)

Survivair Puma™ is the first NIOSH-certified, OSHA-compliant, hooded pressure demand SCBA designed for users with street glasses or facial configurations that are hard to fit with a conventional facepiece.

An SCBA designed for hard to fit users

Sperian Survivair PUMA™ SCBA 

- The Survivair Puma is a Survivair Cougar™ with a tight-fitting hood with a neoprene neck seal and is rated for entry into IDLH environments
- No need for spectacles kits — the user can wear normal street glasses (although sports straps on the temples are useful to keep the glasses in place while donning)
- Hood is made from Challenge® NXT barrier fabric (fluoropolymer films laminated to aramid substrates) for excellent permeation resistance; lens is made from 10 mil FEP Teflon
- Flexible neoprene neck seal provides excellent protection against contaminants in IDLH atmospheres
- Factory-installed silicone nose cup; available in 3 sizes; reduces fogging and CO₂ buildup in hood

SKU	Description
-----	-------------

777777	Survivair Puma
--------	----------------

Stock configuration includes: Survivair Cougar/Puma, 2216 psig, plain whistle alarm (22PW), 2216 psig, 30-minute aluminum cylinder, without locking collar (915141). Survivair Puma hood with medium nose cup (968006)



Sperian is now Honeywell

777777

Sperian Survivair PANTHER™ SCBA 

- High heat and flashover industrial unit provides protection from unforeseen circumstances in the industrial market
- Mighty-Light, backpack and lumbar pad is comfortable and easy to use
- TwentyTwenty Plus – available with silicone strap, Kevlar® mesh headnet or classic silicone
- Choice of 3 low air alarms, bell, plain whistle and warbling whistle for choice of preference
- Supplied Air Attachment option allows air to be supplied from a remote source. Long duration escape cylinder
- Communications options clear and audible communication for noisy environments. Includes voice amp and hard wired radio systems.

SKU	Description
-----	-------------

493121	Survivair Panther
--------	-------------------

Configuration includes: Survivair 1997-style Panther 2216 psig, TwentyTwenty Plus medium facepiece, bell alarm, 2216 psig 30-minute carbon cylinder without locking collar, SAR attachment with Hansen couplings, carrying case

496324	Survivair Panther
--------	-------------------

Configuration includes: Survivair 1997-style Panther 4500 psig, TwentyTwenty Plus medium facepiece, bell alarm, 4500 psig 30-minute carbon cylinder without locking collar, SAR/ buddy breather dual port attachment with Hansen couplings, carrying case



Sperian is now Honeywell

493121

 Call Customer Care at 800 430-5490.