


Code	Description	Nail Length x Diameter	Box Qty	Pallet Qty	Compatible Tool
------	-------------	------------------------	---------	------------	-----------------

33° Framing Nails



F33PT

SP50X287-3M	Bright, Smooth Shank, Paper Tape, 33°	50mm x 2.87mm	3,000	100	F33PT
SP50X287-3M-HDG	Hot Dip Galvanised, Smooth Shank, Paper Tape, 33°	50mm x 2.87mm	3,000	100	F33PT
SP65X306-3M	Bright, Smooth Shank, Paper Tape, 33°	65mm x 3.06mm	3,000	80	F33PT
SP75X306-3M	Bright, Smooth Shank, Paper Tape, 33°	75mm x 3.06mm	3,000	80	F33PT
SP75X306-3M-BD	Blunt Diamond, Smooth Shank, Paper Tape, 33°	75mm x 3.06mm	3,000	72	F33PT
SP75X306-3MHDG	Hot Dip Galvanised, Smooth Shank, Paper Tape, 33°	75mm x 3.06mm	3,000	72	F33PT
SP75X306-3M-SP	Bright, Shear Point, Smooth Shank, Paper Tape, 33°	75mm x 3.06mm	3,000	72	F33PT
SR75X306-3M	Bright, Ring Shank, Paper Tape 33°	75mm x 3.06mm	3,000	72	F33PT
SP90X333-3M	Bright, Smooth Shank, Paper Tape, 33°	90mm x 3.33mm	3,000	60	F33PT

Also compatible with **SENCO®**, **Paslode®** and **Hitachi®** pneumatic framing nailers

28° Framing Nails



F28WW



N100S



N88WWB-2

WIRE WELD					
S50P306	Bright, Smooth Shank, Wire Weld, 28°	50mm x 3.06mm	3,000	100	N88WWB-2, F28WW, N100S
S65P306	Bright, Smooth Shank, Wire Weld, 28°	65mm x 3.06mm	3,000	100	N88WWB-2, F28WW, N100S
S65R306	Bright, Ring Shank, Wire Weld, 28°	65mm x 3.06mm	2,000	108	N88WWB-2, F28WW, N100S
S75P306-3M	Bright, Smooth Shank, Wire Weld, 28°	75mm x 3.06mm	3,000	80	N88WWB-2, F28WW, N100S
S75P306-CP-3M	Bright, Smooth Shank, Chisel Point, Wire Weld, 28°	75mm x 3.06mm	3,000	80	N88WWB-2, F28WW, N100S
S75R306-3M	Bright, Ring Shank, Wire Weld, 28°	75mm x 3.06mm	3,000	108	N88WWB-2, F28WW, N100S
S75S306	Bright, Screw Shank Wire Weld, 28°	75mm x 3.06mm	2,000	108	N88WWB-2, F28WW, N100S
S90P333	Bright, Smooth Shank, Wire Weld, 28°	90mm x 3.33mm	3,000	72	N88WWB-2, F28WW, N100S
PAPER TAPE					
S75P306P-3M	Bright, Smooth Shank, Paper Tape, 28°	75mm x 3.06mm	3,000	72	N88WWB-2, F28WW, N100S
GALVANISED					
S50P287-GAT	Smooth Shank, Wire Weld 28°, Galvatech™	50mm x 2.87mm	2,000	108	N88WWB-2, F28WW, N100S
S65P306-GAT	Smooth Shank, Wire Weld 28°, Galvatech™	65mm x 3.06mm	2,000	108	N88WWB-2, F28WW, N100S
S75P306-GAT-3M	Smooth Shank, Wire Weld 28°, Galvatech™	75mm x 3.06mm	3,000	108	N88WWB-2, F28WW, N100S
S90P333-GAT	Smooth Shank, Wire Weld 28°, Galvatech™	90mm x 3.33mm	2,000	96	N88WWB-2, F28WW, N100S

28° Framing Nails



N100S

S100P333	Bright, Smooth Shank, Wire Weld, 28°	100mm x 3.33mm	2,000	95	N100S
----------	--------------------------------------	----------------	-------	----	-------

Code	Description	Nail Length x Diameter (mm)	Box Qty	Pallet Qty	APN
------	-------------	-----------------------------	---------	------------	-----

N62FNK-2



N62FNK-2

FN1520	15 Gauge Angled Brads, Bright	32mm x 1.82mm	3,655	4	0077914005032
FN1524	15 Gauge Angled Brads, Bright	38mm x 1.82mm	3,655	4	0077914005087
FN1528	15 Gauge Angled Brads, Bright	45mm x 1.82mm	3,655	4	0077914005049
FN1532	15 Gauge Angled Brads, Bright	50mm x 1.82mm	3,655	4	0077914005018
FN1536	15 Gauge Angled Brads, Bright	55mm x 1.82mm	3,655	4	0077914005063
FN1540	15 Gauge Angled Brads, Bright	65mm x 1.82mm	3,655	4	0077914004998

DA STYLE BRADS



BRIGHT					
AS-DA15	15 Gauge DA Style Angled Brads, Bright	32mm x 1.76mm	3,000	4	0093255005418
AS-DA17	15 Gauge DA Style Angled Brads, Bright	38mm x 1.76mm	3,000	4	0093255005432
AS-DA19	15 Gauge DA Style Angled Brads, Bright	45mm x 1.76mm	3,000	4	0093255005449
AS-DA21	15 Gauge DA Style Angled Brads, Bright	50mm x 1.76mm	3,000	4	09316973994019
AS-DA23	15 Gauge DA Style Angled Brads, Bright	57mm x 1.76mm	3,000	4	0093255005456
AS-DA25	15 Gauge DA Style Angled Brads, Bright	63mm x 1.76mm	3,000	4	0093255005418
GALVANISED					
AS-DA15-GAL	15 Gauge DA Style Angled Brads, Galvanised	32mm x 1.76mm	3,000	4	9316973996334
AS-DA17-GAL	15 Gauge DA Style Angled Brads, Galvanised	38mm x 1.76mm	3,000	4	9316973996341
AS-DA19-GAL	15 Gauge DA Style Angled Brads, Galvanised	45mm x 1.76mm	3,000	4	9316973996358
AS-DA21-GAL	15 Gauge DA Style Angled Brads, Galvanised	50mm x 1.76mm	3,000	4	9316973996365
AS-DA23-GAL	15 Gauge DA Style Angled Brads, Galvanised	57mm x 1.76mm	3,000	4	9316973996372
AS-DA25-GAL	15 Gauge DA Style Angled Brads, Galvanised	63mm x 1.76mm	3,000	4	9316973996389

Also compatible with **SENCO®**, **Paslode®** and **Hitachi®** branded DA style bradders

N52FN-2



N52FN-2

FN1616	16 Gauge Angled Brads, Bright	25mm x 1.54mm	5,000	4	0077914005094
FN1620	16 Gauge Angled Brads, Bright	32mm x 1.54mm	5,000	4	0779140051790
FN1624	16 Gauge Angled Brads, Bright	38mm x 1.54mm	5,000	4	0077914005148
FN1628	16 Gauge Angled Brads, Bright	45mm x 1.54mm	5,000	4	0077914005131
FN1632	16 Gauge Angled Brads, Bright	50mm x 1.54mm	5,000	4	0077914005124

Code	Description	Nail Length x Diameter (mm)	Box Qty	Pallet Qty	APN
------	-------------	-----------------------------	---------	------------	-----

FN16250K-2



FN16250K-2

C25	16 Gauge, C-series Brads, Bright	25mm x 1.54mm	2,500	10	9316973993203
C32	16 Gauge, C-series Brads, Bright	32mm x 1.54mm	2,500	10	9316973993210
C38	16 Gauge, C-series Brads, Bright	38mm x 1.54mm	2,500	10	9316973993227
C45	16 Gauge, C-series Brads, Bright	45mm x 1.54mm	2,500	10	9316973993234
C50	16 Gauge, C-series Brads, Bright	50mm x 1.54mm	2,500	10	9316973993241
C64	16 Gauge, C-series Brads, Bright	64mm x 1.54mm	2,500	10	9316973994590

BT200K-2 & BT125K-2



BT200K-2



BT125K-2

C-115	18 Gauge, C-1 Series Brads, Bright	15mm x 1.30mm	5,000	20	9316973011150
C-120	18 Gauge, C-1 Series Brads, Bright	20mm x 1.30mm	5,000	20	9316973011204
C-125	18 Gauge, C-1 Series Brads, Bright	25mm x 1.30mm	5,000	15	9316973011259
C-130	18 Gauge, C-1 Series Brads, Bright	30mm x 1.30mm	5,000	15	9316973011303
BT1335B	18 Gauge, C-1 Series Brads, Bright	35mm x 1.30mm	2,000	10	0077914010456
BT1340B	18 Gauge, C-1 Series Brads, Bright	40mm x 1.30mm	2,000	10	0077914010470
BT1345B	18 Gauge, C-1 Series Brads, Bright	45mm x 1.30mm	2,000	10	0779140104946
BT1350B	18 Gauge, C-1 Series Brads, Bright	50mm x 1.30mm	2,000	10	0077914010517

T NAILS



BFG22/38	13 Gauge, Bright	38mm x 2.2mm	1,000	12	9316973002202
BFG22/45	13 Gauge, Bright	45mm x 2.2mm	1,000	12	9316973002226
BFG22/50	13 Gauge, Bright	50mm x 2.2mm	1,000	12	9316973002219
BT524G-2.5M	13 Gauge, Bright	65mm x 2.2mm	2,500	12	0077914019473
BFG25/50	13 Gauge, Bright	50mm x 2.5mm	1,000	12	9316973007276
BFG25/65	13 Gauge, Bright	65mm x 2.5mm	1,000	12	9316973007283

Code	Description	Nail Length x Diameter (mm)	Box Qty	Pallet Qty	APN
------	-------------	-----------------------------	---------	------------	-----

WEDGE STYLE CLEATS



MIIIIFN Pneumatic Flooring Nailer



MFN200 Manual Flooring Nailer

FLN-150	Wedge Style Or "L Shaped Hardwood Flooring Cleats	38mm	1,000	5	0077914028369
FLN-200	Wedge Style Or "L Shaped Hardwood Flooring Cleats	50mm	1,000	5	0077914026334

CORRUGATED FASTENERS



CF15-2

CF375-2000	Corrugated Fastener	25mm x 10mm	2,000		5902013917052
CF500-1750	Corrugated Fastener	25mm x 12mm	1,750		5902013917045

N57C-1

Nail Length: 32mm to 55mm

Nail Diameter: 1.8mm to 2.3mm



Code	Shank	Nail Finish	Description	Nail Length x Diameter (mm)	Box Qty	Coils per Box	Pallet Qty
<i>P = Plain Shank R = Ring Shank S = Screw Shank H = Helical Shank</i>							
PLAIN SHANK							
AC32P180-GW	P	Galv Wire	15° Wire Weld Coil, Plain Shank, Galvanised Wire	32mm x 1.80mm	16,200	48	42
AC38P210	P	Bright	15° Wire Weld Coil, Bright, Plain Shank	38mm x 2.10mm	16,800	48	36
AC38P210-BD	P	Bright, Blunt Diamond	15° Wire Weld Coil, Bright, Plain Shank, Blunt Diamond	38mm x 2.10mm	16,800	48	36
AC45P210	P	Bright	15° Wire Weld Coil, Bright, Plain Shank	45mm x 2.10mm	16,800	48	36
AC45P210-GAL	P	Mechanical Galvanised	15° Wire Weld Coil, Plain Shank, Mechanical Galvanised	45mm x 2.10mm	16,800	48	36
AC45P210-GW	P	Galvanised Wire	15° Wire Weld Coil, Plain Shank, Galvanised Wire	45mm x 2.10mm	16,800	48	36
AC50P210	P	Bright	15° Wire Weld Coil, Bright, Plain Shank	50mm x 2.10mm	16,800	48	36
AC50P210-GW	P	Galvanised Wire	15° Wire Weld Coil, Plain Shank, Galvanised Wire	50mm x 2.10mm	16,800	48	36
RING SHANK							
AC27R210	R	Bright	15° Wire Weld Coil, Bright, Ring Shank	27mm x 2.10mm	16,800	48	36
AC32R210	R	Bright	15° Wire Weld Coil, Bright, Ring Shank	32mm x 2.10mm	16,800	48	36
AC32R200BD-GAT	R	Galvatech	15° Wire Weld Coil, Ring Shank, Blunt Diamond, Galvatech™	32mm x 2.00mm	4,200	12	36
AC38R210	R	Bright	15° Wire Weld Coil, Bright, Ring Shank	38mm x 2.10mm	16,800	48	36
AC38R210-BD	R	Bright, Blunt Diamond	15° Wire Weld Coil, Bright, Ring Shank, Blunt Diamond	38mm x 2.10mm	16,800	48	48
AC42R210	R	Bright	15° Wire Weld Coil, Bright, Ring Shank	42mm x 2.10mm	16,800	48	36
AC45R210	R	Bright	15° Wire Weld Coil, Bright, Ring Shank	45mm x 2.10mm	16,800	48	36
AC45R210-GAL	R	Mechanical Galvanised	15° Wire Weld Coil, Ring Shank, Mechanical Galvanised	45mm x 2.10mm	16,800	48	36
AC50R210	R	Bright	15° Wire Weld Coil, Bright, Ring Shank	50mm x 2.10mm	16,800	48	36
SPECIALIST APPLICATIONS - RING SHANK							
C5R90BDSS	R	Stainless Steel, Blunt Diamond	15° Coil, Ring Shank, Blunt Diamond, Stainless Steel	45mm x 2.30mm	3,600	12	64
C6R90BDSS	R	Stainless Steel, Blunt Diamond	15° Coil, Ring Shank, Blunt Diamond, Stainless Steel	50mm x 2.30mm	3,600	12	64

N63CP-1

Nail Length: 32mm to 55mm

Nail Diameter: 1.8mm to 2.3mm



Code	Shank	Nail Finish	Description	Nail Length x Diameter (mm)	Box Qty	Coils per Box	Pallet Qty
P = Plain Shank R = Ring Shank S = Screw Shank H = Helical Shank							
PLAIN SHANK							
AC35P250-GAL	P	Mechanical Galvanised	15° Wire Weld Coil, Plain Shank, Mechanical Galvanised	35mm x 2.50mm	9,000	48	36
AC38P210-BD	P	Bright, Blunt Diamond	15° Wire Weld Coil, Bright, Plain Shank, Blunt Diamond	38mm x 2.10mm	16,800	48	36
AC45P210	P	Bright	15° Wire Weld Coil, Bright, Plain Shank	45mm x 2.10mm	16,800	48	36
AC45P210-GAL	P	Mechanical Galvanised	15° Wire Weld Coil, Plain Shank, Mechanical Galvanised	45mm x 2.10mm	16,800	24	36
AC45P210-GW	P	Galvanised Wire	15° Wire Weld Coil, Plain Shank, Galvanised Wire	45mm x 2.10mm	16,800	24	36
AC45P250	P	Bright	15° Wire Weld Coil, Bright, Plain Shank	45mm x 2.50mm	6,600	24	42
AC45P250-GAL	P	Mechanical Galvanised	15° Wire Weld Coil, Plain Shank, Mechanical Galvanised	45mm x 2.50mm	6,600	24	42
AC45P250-GW	P	Galvanised Wire	15° Wire Weld Coil, Plain Shank, Galvanised Wire	45mm x 2.50mm	6,600	48	42
AC45P250-SP	P	Bright, Shear Point	15° Wire Weld Coil, Bright, Plain Shank, Shear Point	45mm x 2.50mm	6,600	48	42
AC50P210	P	Bright	15° Wire Weld Coil, Bright, Plain Shank	50mm x 2.10mm	16,800	24	36
AC50P210-GW	P	Galvanised Wire	15° Wire Weld Coil, Plain Shank, Galvanised Wire	50mm x 2.10mm	16,800	24	36
AC50P250	P	Bright	15° Wire Weld Coil, Bright, Plain Shank	50mm x 2.50mm	6,600	24	42
AC50P250-GAL	P	Mechanical Galvanised	15° Wire Weld Coil, Plain Shank, Mechanical Galvanised	50mm x 2.50mm	6,600	24	42
AC50P250-GW	P	Galvanised Wire	15° Wire Weld Coil, Plain Shank, Galvanised Wire	50mm x 2.50mm	6,600	24	42
AC57P250	P	Bright	15° Wire Weld Coil, Bright, Plain Shank	57mm x 2.50mm	6,600	24	36
AC57P250-GAL	P	Mechanical Galvanised	15° Wire Weld Coil, Plain Shank, Mechanical Galvanised	57mm x 2.50mm	6,600	24	36
AC57P250-GW	P	Galvanised Wire	15° Wire Weld Coil, Plain Shank, Galvanised Wire	57mm x 2.50mm	6,600	24	36
AC64P250	P	Bright	15° Wire Weld Coil, Bright, Plain Shank	64mm x 2.50mm	6,600	24	36
AC64P250-GW	P	Galvanised Wire	15° Wire Weld Coil, Plain Shank, Galvanised Wire	64mm x 2.50mm	6,600	24	36
RING SHANK							
AC32R200BD-GAT	R	Galvatech	15° Wire Weld Coil, Ring Shank, Blunt Diamond, Galvatech™	32mm x 2.00mm	4,200	12	36
AC32R210	R	Bright	15° Wire Weld Coil, Bright, Ring Shank	32mm x 2.10mm	16,800	48	36
AC35R250-BD-GAL	R	Galvatech, Blunt Diamond	15° Wire Weld Coil, Ring Shank, Blunt Diamond, Galvatech™	35mm x 2.50mm	9,900	36	36
AC38R210	R	Bright	15° Wire Weld Coil, Bright, Ring Shank	38mm x 2.10mm	16,800	48	36
AC38R210-BD	R	Bright, Blunt Diamond	15° Wire Weld Coil, Bright, Ring Shank, Blunt Diamond	38mm x 2.10mm	16,800	48	48
AC38R250	R	Bright	15° Wire Weld Coil, Bright, Ring Shank	38mm x 2.50mm	9,900	36	42
AC42R210	R	Bright	15° Wire Weld Coil, Bright, Ring Shank	42mm x 2.10mm	16,800	48	36
AC45R210	R	Bright	15° Wire Weld Coil, Bright, Ring Shank	45mm x 2.10mm	16,800	48	36
AC45R210-GAL	R	Mechanical Galvanised	15° Wire Weld Coil, Ring Shank, Mechanical Galvanised	45mm x 2.10mm	16,800	48	36
AC45R250	R	Bright	15° Wire Weld Coil, Bright, Ring Shank	45mm x 2.50mm	6,600	24	42
AC45R250-GAL	R	Mechanical Galvanised	15° Wire Weld Coil, Ring Shank, Mechanical Galvanised	45mm x 2.50mm	6,600	24	36
AC50R210	R	Bright	15° Wire Weld Coil, Bright, Ring Shank	50mm x 2.10mm	16,800	48	36
AC50R250	R	Bright	15° Wire Weld Coil, Bright, Ring Shank	50mm x 2.50mm	6,600	24	42
AC50R250-GAL	R	Mechanical Galvanised	15° Wire Weld Coil, Ring Shank, Mechanical Galvanised	50mm x 2.50mm	6,600	24	36
ACDH50R250-GAL	R	Dome Head, Galvanised	15° Plastic Collated Coil, Ring Shank, Mechanical Galvanised	50mm x 2.50mm	1,600	8	144
ACDH50R250-SS	R	Dome Head, Stainless Steel	15° Plastic Collated Coil, Ring Shank, Mechanical Galvanised	50mm x 2.50mm	1,600	8	144
AC57R250	R	Bright	15° Wire Weld Coil, Bright, Ring Shank	57mm x 2.50mm	6,600	24	36
AC64R250	R	Bright	15° Wire Weld Coil, Bright, Ring Shank	64mm x 2.50mm	6,600	24	36

N63CP-1 (continued)

Nail Length: 32mm to 55mm

Nail Diameter: 1.8mm to 2.3mm



Code	Shank	Nail Finish	Description	Nail Length x Diameter (mm)	Box Qty	Coils per Box	Pallet Qty
<i>P = Plain Shank R = Ring Shank S = Screw Shank H = Helical Shank</i>							
SPECIALIST APPLICATIONS - HELICAL SHANK							
C4DCSBALG	H	Mechanical Galvanised	15° Coil, Helix Shank, Ballistic Point, Mechanical Galvanised	34mm x 2.50mm	3,600	12	12
SPECIALIST APPLICATIONS - RING SHANK							
C5R90BDSS	R	Stainless Steel, Blunt Diamond	15° Coil, Ring Shank, Blunt Diamond, Stainless Steel	45mm x 2.30mm	3,600	36	64
C6R90BDSS	R	Stainless Steel, Blunt Diamond	15° Coil, Ring Shank, Blunt Diamond, Stainless Steel	50mm x 2.30mm	3,600	48	64
HARDENED NAILS - RING SHANK							
FAP32V5	R	Mech Galvanised, Hardened	15° Plastic Collated Coil, Ring Shank, Mechanical Galvanised	32mm x 2.50mm	6,000	30	40
FAP32V9	R	Mech Galvanised, Hardened	15° Plastic Collated Coil, Ring Shank, Mechanical Galvanised	32mm x 2.90mm	6,000	30	40
FAP38V5	R	Mech Galvanised, Hardened	15° Plastic Collated Coil, Ring Shank, Mechanical Galvanised	38mm x 2.50mm	6,000	30	40
FAP45V5	R	Mech Galvanised, Hardened	15° Plastic Collated Coil, Ring Shank, Mechanical Galvanised	45mm x 2.50mm	6,000	30	30
FAP50V5	R	Mech Galvanised, Hardened	15° Plastic Collated Coil, Ring Shank, Mechanical Galvanised	50mm x 2.50mm	6,000	30	30
SCREW SHANK							
AC45S250	S	Bright	15° Wire Weld Coil, Bright, Screw Shank	45mm x 2.50mm	6,600	24	42
AC50S250	S	Bright	15° Wire Weld Coil, Bright, Screw Shank	50mm x 2.50mm	6,600	24	42
ACDH50S250-GAL	S	Dome Head, Galvanised	15° Plastic Collated Coil, Screw Shank, Mechanical Galvanised	50mm x 2.50mm	1,600	8	144
ACDH50S250-SS	S	Dome Head, Stainless Steel	15° Plastic Collated Coil, Ring Shank, Mechanical Galvanised	50mm x 2.50mm	1,600	8	144

N64C-1

Nail Length: 32mm to 55mm

Nail Diameter: 1.8mm to 2.5mm



Code	Shank	Nail Finish	Description	Nail Length x Diameter (mm)	Box Qty	Coils per Box	Pallet Qty
<i>P = Plain Shank R = Ring Shank S = Screw Shank H = Helical Shank</i>							
PLAIN SHANK							
AC35P250-GAL	P	Mechanical Galvanised	15° Wire Weld Coil, Plain Shank, Mechanical Galvanised	35mm x 2.50mm	9,000	36	36
AC38P210-BD	P	Bright, Blunt Diamond	15° Wire Weld Coil, Bright, Plain Shank, Blunt Diamond	38mm x 2.10mm	16,800	48	36
AC45P210	P	Bright	15° Wire Weld Coil, Bright, Plain Shank	45mm x 2.10mm	16,800	48	36
AC45P210-GAL	P	Mechanical Galvanised	15° Wire Weld Coil, Plain Shank, Mechanical Galvanised	45mm x 2.10mm	16,800	48	36
AC45P210-GW	P	Galvanised Wire	15° Wire Weld Coil, Plain Shank, Galvanised Wire	45mm x 2.10mm	16,800	48	36
AC45P250	P	Bright	15° Wire Weld Coil, Bright, Plain Shank	45mm x 2.50mm	6,600	24	42
AC45P250-GAL	P	Mechanical Galvanised	15° Wire Weld Coil, Plain Shank, Mechanical Galvanised	45mm x 2.50mm	6,600	24	42
AC45P250-GW	P	Galvanised Wire	15° Wire Weld Coil, Plain Shank, Galvanised Wire	45mm x 2.50mm	6,600	24	42
AC45P250-SP	P	Bright, Shear Point	15° Wire Weld Coil, Bright, Plain Shank, Shear Point	45mm x 2.50mm	6,600	24	42
AC50P210	P	Bright	15° Wire Weld Coil, Bright, Plain Shank	50mm x 2.10mm	16,800	48	36
AC50P210-GW	P	Galvanised Wire	15° Wire Weld Coil, Plain Shank, Galvanised Wire	50mm x 2.10mm	16,800	48	36
AC50P250	P	Bright	15° Wire Weld Coil, Bright, Plain Shank	50mm x 2.50mm	6,600	24	42
AC50P250-GAL	P	Mechanical Galvanised	15° Wire Weld Coil, Plain Shank, Mechanical Galvanised	50mm x 2.50mm	6,600	24	42
AC50P250-GW	P	Galvanised Wire	15° Wire Weld Coil, Plain Shank, Galvanised Wire	50mm x 2.50mm	6,600	24	42
AC57P250	P	Bright	15° Wire Weld Coil, Bright, Plain Shank	57mm x 2.50mm	6,600	24	36
AC57P250-GAL	P	Mechanical Galvanised	15° Wire Weld Coil, Plain Shank, Mechanical Galvanised	57mm x 2.50mm	6,600	24	36
AC57P250-GW	P	Galvanised Wire	15° Wire Weld Coil, Plain Shank, Galvanised Wire	57mm x 2.50mm	6,600	24	36
AC64P250	P	Bright	15° Wire Weld Coil, Bright, Plain Shank	64mm x 2.50mm	6,600	24	36
AC64P250-GW	P	Galvanised Wire	15° Wire Weld Coil, Plain Shank, Galvanised Wire	64mm x 2.50mm	6,600	24	36
RING SHANK							
AC32R200BD-GAT	R	Galvatech	15° Wire Weld Coil, Ring Shank, Blunt Diamond, Galvatech™	32mm x 2.00mm	4,200	12	36
AC32R210	R	Bright	15° Wire Weld Coil, Bright, Ring Shank	32mm x 2.10mm	16,800	48	36
AC35R250-BD-GAL	R	Galvatech, Blunt Diamond	15° Wire Weld Coil, Ring Shank, Blunt Diamond, Galvatech™	35mm x 2.50mm	9,900	36	36
AC38R210	R	Bright	15° Wire Weld Coil, Bright, Ring Shank	38mm x 2.10mm	16,800	48	36
AC38R210-BD	R	Bright, Blunt Diamond	15° Wire Weld Coil, Bright, Ring Shank, Blunt Diamond	38mm x 2.10mm	16,800	48	48
AC38R250	R	Bright	15° Wire Weld Coil, Bright, Ring Shank	38mm x 2.50mm	9,900	36	42
AC42R210	R	Bright	15° Wire Weld Coil, Bright, Ring Shank	42mm x 2.10mm	16,800	48	36
AC45R210	R	Bright	15° Wire Weld Coil, Bright, Ring Shank	45mm x 2.10mm	16,800	48	36
AC45R210-GAL	R	Mechanical Galvanised	15° Wire Weld Coil, Ring Shank, Mechanical Galvanised	45mm x 2.10mm	16,800	48	36
AC45R250	R	Bright	15° Wire Weld Coil, Bright, Ring Shank	45mm x 2.50mm	6,600	24	42
AC45R250-GAL	R	Mechanical Galvanised	15° Wire Weld Coil, Ring Shank, Mechanical Galvanised	45mm x 2.50mm	6,600	24	36
AC50R210	R	Bright	15° Wire Weld Coil, Bright, Ring Shank	50mm x 2.10mm	16,800	48	36
AC50R250	R	Bright	15° Wire Weld Coil, Bright, Ring Shank	50mm x 2.50mm	6,600	24	42
AC50R250-GAL	R	Mechanical Galvanised	15° Wire Weld Coil, Ring Shank, Mechanical Galvanised	50mm x 2.50mm	6,600	24	36
AC57R250	R	Bright	15° Wire Weld Coil, Bright, Ring Shank	57mm x 2.50mm	6,600	24	36
AC64R250	R	Bright	15° Wire Weld Coil, Bright, Ring Shank	64mm x 2.50mm	6,600	24	36

N64C-1 (continued)

Nail Length: 32mm to 55mm

Nail Diameter: 1.8mm to 2.5mm



Code	Shank	Nail Finish	Description	Nail Length x Diameter (mm)	Box Qty	Coils per Box	Pallet Qty
<i>P = Plain Shank R = Ring Shank S = Screw Shank H = Helical Shank</i>							
SPECIALIST APPLICATIONS - HELICAL SHANK							
C4DCSBALG	H	Mechanical Galvanised	15° Coil, Helix Shank, Ballistic Point, Mechanical Galvanised	38mm x 2.50mm	3,600	12	64
SPECIALIST APPLICATIONS - RING SHANK							
C5R90BDSS	R	Stainless Steel, Blunt Diamond	15° Coil, Ring Shank, Blunt Diamond, Stainless Steel	45mm x 2.30mm	3,600	12	64
C6R90BDSS	R	Stainless Steel, Blunt Diamond	15° Coil, Ring Shank, Blunt Diamond, Stainless Steel	50mm x 2.30mm	3,600	12	64
SCREW SHANK							
AC45S250	S	Bright	15° Wire Weld Coil, Bright, Screw Shank	45mm x 2.50mm	6,600	24	42
AC50S250	S	Bright	15° Wire Weld Coil, Bright, Screw Shank	50mm x 2.50mm	6,600	24	42

N66C-1

Nail Length: 32mm to 64mm

Nail Diameter: 2.1mm to 2.5mm



Code	Shank	Nail Finish	Description	Nail Length x Diameter (mm)	Box Qty	Coils per Box	Pallet Qty
P = Plain Shank R = Ring Shank S = Screw Shank H = Helical Shank							
PLAIN SHANK							
AC32P180-GW	P	Galvanised Wire	15° Wire Weld Coil, Plain Shank, Galvanised Wire	32mm x 1.80mm	16,200	48	42
AC35P250-GAL	P	Mechanical Galvanised	15° Wire Weld Coil, Plain Shank, Mechanical Galvanised	35mm x 2.50mm	9,000	36	36
AC38P210-BD	P	Bright, Blunt Diamond	15° Wire Weld Coil, Bright, Plain Shank, Blunt Diamond	38mm x 2.10mm	16,800	48	36
AC45P210	P	Bright	15° Wire Weld Coil, Bright, Plain Shank	45mm x 2.10mm	16,800	48	36
AC45P210-GAL	P	Mechanical Galvanised	15° Wire Weld Coil, Plain Shank, Mechanical Galvanised	45mm x 2.10mm	16,800	48	36
AC45P210-GW	P	Galvanised Wire	15° Wire Weld Coil, Plain Shank, Galvanised Wire	45mm x 2.10mm	16,800	48	36
AC45P250-SP	P	Bright, Shear Point	15° Wire Weld Coil, Bright, Plain Shank, Shear Point	45mm x 2.50mm	6,600	24	42
AC45P250	P	Bright	15° Wire Weld Coil, Bright, Plain Shank	45mm x 2.50mm	6,600	24	42
AC45P250-GAL	P	Mechanical Galvanised	15° Wire Weld Coil, Plain Shank, Mechanical Galvanised	45mm x 2.50mm	6,600	24	42
AC45P250-GW	P	Galvanised Wire	15° Wire Weld Coil, Plain Shank, Galvanised Wire	45mm x 2.50mm	6,600	24	42
AC50P210	P	Bright	15° Wire Weld Coil, Bright, Plain Shank	50mm x 2.10mm	16,800	48	36
AC50P210-GW	P	Galvanised Wire	15° Wire Weld Coil, Plain Shank, Galvanised Wire	50mm x 2.10mm	16,800	48	36
AC50P250	P	Bright	15° Wire Weld Coil, Bright, Plain Shank	50mm x 2.50mm	6,600	24	42
AC50P250-GAL	P	Mechanical Galvanised	15° Wire Weld Coil, Plain Shank, Mechanical Galvanised	50mm x 2.50mm	6,600	24	42
AC50P250-GW	P	Galvanised Wire	15° Wire Weld Coil, Plain Shank, Galvanised Wire	50mm x 2.50mm	6,600	24	42
AC57P250	P	Bright	15° Wire Weld Coil, Bright, Plain Shank	57mm x 2.50mm	6,600	24	36
AC57P250-GAL	P	Mechanical Galvanised	15° Wire Weld Coil, Plain Shank, Mechanical Galvanised	57mm x 2.50mm	6,600	24	36
AC57P250-GW	P	Galvanised Wire	15° Wire Weld Coil, Plain Shank, Galvanised Wire	57mm x 2.50mm	6,600	24	36
RING SHANK							
AC32R200BD-GAT	R	Galvatech, Blunt Diamond	15° Wire Weld Coil, Ring Shank, Blunt Diamond, Galvatech™	32mm x 2.00mm	4,200	12	36
AC32R210	R	Bright	15° Wire Weld Coil, Bright, Ring Shank	32mm x 2.10mm	16,800	48	36
AC35R250-BD-GAL	R	Mech Galvanised, Blunt Diamond	15° Wire Weld Coil, Ring Shank, Blunt Diamond, Galvatech™	35mm x 2.50mm	9,900	36	36
AC38R210	R	Bright	15° Wire Weld Coil, Bright, Ring Shank	38mm x 2.10mm	16,800	48	36
AC38R210-BD	R	Bright, Blunt Diamond	15° Wire Weld Coil, Bright, Ring Shank, Blunt Diamond	38mm x 2.10mm	16,800	48	48
AC38R250	R	Bright	15° Wire Weld Coil, Bright, Ring Shank	38mm x 2.50mm	9,900	36	42
AC42R210	R	Bright	15° Wire Weld Coil, Bright, Ring Shank	42mm x 2.10mm	16,800	48	36
AC45R210	R	Bright	15° Wire Weld Coil, Bright, Ring Shank	45mm x 2.10mm	16,800	48	36
AC45R210-GAL	R	Mechanical Galvanised	15° Wire Weld Coil, Ring Shank, Mechanical Galvanised	45mm x 2.10mm	16,800	48	36
AC45R250	R	Bright	15° Wire Weld Coil, Bright, Ring Shank	45mm x 2.50mm	6,600	24	42
AC45R250-GAL	R	Mechanical Galvanised	15° Wire Weld Coil, Ring Shank, Mechanical Galvanised	45mm x 2.50mm	6,600	24	36
AC50R210	R	Bright	15° Wire Weld Coil, Bright, Ring Shank	50mm x 2.10mm	16,800	48	36
AC50R250	R	Bright	15° Wire Weld Coil, Bright, Ring Shank	50mm x 2.50mm	6,600	24	42
AC50R250-GAL	R	Mechanical Galvanised	15° Wire Weld Coil, Ring Shank, Mechanical Galvanised	50mm x 2.50mm	6,600	24	36
ACDH50R250-GAL	R	Dome Head, Galvanised	15° Plastic Collated Coil, Ring Shank, Mechanical Galvanised	50mm x 2.50mm	1,600	8	144
ACDH50R250-SS	R	Dome Head, Stainless Steel	15° Plastic Collated Coil, Ring Shank, Mechanical Galvanised	50mm x 2.50mm	1,600	8	144
AC57R250	R	Bright	15° Wire Weld Coil, Bright, Ring Shank	57mm x 2.50mm	6,600	24	36
HARDENED NAILS - RING SHANK							
FAP32V5	R	Mech Galvanised, Hardened	15° Plastic Collated Coil, Ring Shank, Mechanical Galvanised	32mm x 2.50mm	6,000	30	40
FAP32V9	R	Mech Galvanised, Hardened	15° Plastic Collated Coil, Ring Shank, Mechanical Galvanised	32mm x 2.90mm	6,000	30	40

N66C-1 (continued)

Nail Length: 32mm to 64mm

Nail Diameter: 2.1mm to 2.5mm



Code	Shank	Nail Finish	Description	Nail Length x Diameter (mm)	Box Qty	Coils per Box	Pallet Qty
P = Plain Shank R = Ring Shank S = Screw Shank H = Helical Shank							
HARDENED NAILS - RING SHANK							
FAP38V5	R	Mech Galvanised, Hardened	15° Plastic Collated Coil, Ring Shank, Mechanical Galvanised	38mm x 2.50mm	6,000	30	40
FAP45V5	R	Mech Galvanised, Hardened	15° Plastic Collated Coil, Ring Shank, Mechanical Galvanised	45mm x 2.50mm	6,000	30	40
FAP50V5	R	Mech Galvanised, Hardened	15° Plastic Collated Coil, Ring Shank, Mechanical Galvanised	50mm x 2.50mm	6,000	30	40
SCREW SHANK							
AC45S250	S	Bright	15° Wire Weld Coil, Bright, Screw Shank	45mm x 2.50mm	6,600	24	42
AC50S250	S	Bright	15° Wire Weld Coil, Bright, Screw Shank	50mm x 2.50mm	6,600	24	42
ACDH50S250-GAL	S	Dome Head, Galvanised	15° Plastic Collated Coil, Screw Shank, Mechanical Galvanised	50mm x 2.50mm	1,600	8	144
ACDH50S250-SS	S	Dome Head, Stainless Steel	15° Plastic Collated Coil, Ring Shank, Mechanical Galvanised	50mm x 2.50mm	1,600	8	144
SPECIALIST APPLICATIONS - HELICAL SHANK							
C4DCSBALG	H	Mechanical Galvanised	15° Coil, Helix Shank, Ballistic Point, Mechanical Galvanised	38mm x 2.50mm	3,600	12	64
SPECIALIST APPLICATIONS - RING SHANK							
C5R90BDSS	R	Stainless Steel, Blunt Diamond	15° Coil, Ring Shank, Blunt Diamond, Stainless Steel	45mm x 2.30mm	3,600	12	64
C6R90BDSS	R	Stainless Steel, Blunt Diamond	15° Coil, Ring Shank, Blunt Diamond, Stainless Steel	50mm x 2.30mm	3,600	12	64

N71C-1

Industrial Pallet Nailer - Accepts wire weld coil
Nail Length: 38mm to 70mm



Code	Shank	Nail Finish	Description	Nail Length x Diameter (mm)	Box Qty	Coils per Box	Pallet Qty
<i>P = Plain Shank R = Ring Shank S = Screw Shank H = Helical Shank</i>							
PLAIN SHANK							
AC38P210-BD	P	Bright, Blunt Diamond	15° Wire Weld Coil, Bright, Plain Shank, Blunt Diamond	38mm x 2.10mm	16,800	48	36
AC45P210	P	Bright, Blunt Diamond	15° Wire Weld Coil, Bright, Plain Shank	45mm x 2.10mm	16,800	48	36
AC45P210-GAL	P	Mechanical Galvanised	15° Wire Weld Coil, Plain Shank, Mechanical Galvanised	45mm x 2.10mm	16,800	48	36
AC45P210-GW	P	Galvanised Wire	15° Wire Weld Coil, Plain Shank, Galvanised Wire	45mm x 2.10mm	16,800	48	36
AC45P250	P	Bright	15° Wire Weld Coil, Bright, Plain Shank	45mm x 2.50mm	6,600	24	42
AC45P250-GAL	P	Mechanical Galvanised	15° Wire Weld Coil, Plain Shank, Mechanical Galvanised	45mm x 2.50mm	6,600	24	42
AC45P250-GW	P	Galvanised Wire	15° Wire Weld Coil, Plain Shank, Galvanised Wire	45mm x 2.50mm	6,600	24	42
AC45P250-SP	P	Bright, Shear Point	15° Wire Weld Coil, Bright, Plain Shank, Shear Point	45mm x 2.50mm	6,600	24	42
AC50P210	P	Bright	15° Wire Weld Coil, Bright, Plain Shank	50mm x 2.10mm	16,800	48	36
AC50P210-GW	P	Galvanised Wire	15° Wire Weld Coil, Plain Shank, Galvanised Wire	50mm x 2.10mm	16,800	48	36
AC50P250	P	Bright	15° Wire Weld Coil, Bright, Plain Shank	50mm x 2.50mm	6,600	24	42
AC50P250-GAL	P	Mechanical Galvanised	15° Wire Weld Coil, Plain Shank, Mechanical Galvanised	50mm x 2.50mm	6,600	24	42
AC50P250-GW	P	Galvanised Wire	15° Wire Weld Coil, Plain Shank, Galvanised Wire	50mm x 2.50mm	6,600	24	42
AC50P287	P	Bright	15° Wire Weld Coil, Bright, Plain Shank	50mm x 2.87mm	6,000	24	42
AC50P287-GAL	P	Galvanised Wire	15° Wire Weld Coil, Plain Shank, Mechanical Galvanised	50mm x 2.87mm	6,000	24	42
AC57P250	P	Bright	15° Wire Weld Coil, Bright, Plain Shank	57mm x 2.50mm	6,600	24	36
AC57P250-GAL	P	Mechanical Galvanised	15° Wire Weld Coil, Plain Shank, Mechanical Galvanised	57mm x 2.50mm	6,600	24	36
AC57P250-GW	P	Galvanised Wire	15° Wire Weld Coil, Plain Shank, Galvanised Wire	57mm x 2.50mm	6,600	24	36
AC64P287	P	Bright	15° Wire Weld Coil, Bright, Plain Shank	64mm x 2.87mm	6,000	24	36
AC75P287	P	Bright	15° Wire Weld Coil, Bright, Plain Shank	75mm x 2.87mm	6,000	24	36
AC75P306	P	Bright	15° Wire Weld Coil, Bright, Plain Shank	75mm x 3.06mm	5,400	24	36
AC75P306-GAL	P	Galvanised Wire	15° Wire Weld Coil, Plain Shank, Mechanical Galvanised	75mm x 3.06mm	5,400	24	36
AC75P333	P	Bright	15° Wire Weld Coil, Bright, Plain Shank	75mm x 3.33mm	5,400	24	36
RING SHANK							
AC38R210	R	Bright	15° Wire Weld Coil, Bright, Ring Shank	38mm x 2.10mm	16,800	48	36
AC38R210-BD	R	Bright, Blunt Diamond	15° Wire Weld Coil, Bright, Ring Shank, Blunt Diamond	38mm x 2.10mm	16,800	48	48
AC38R250	R	Bright	15° Wire Weld Coil, Bright, Ring Shank	38mm x 2.50mm	9,900	36	42
AC42R210	R	Bright	15° Wire Weld Coil, Bright, Ring Shank	42mm x 2.10mm	16,800	48	36
AC45R210	R	Bright	15° Wire Weld Coil, Bright, Ring Shank	45mm x 2.10mm	16,800	48	36
AC45R210-GAL	R	Mechanical Galvanised	15° Wire Weld Coil, Ring Shank, Mechanical Galvanised	45mm x 2.10mm	16,800	48	36
AC45R250	R	Bright	15° Wire Weld Coil, Bright, Ring Shank	45mm x 2.50mm	6,600	24	42
AC45R250-GAL	R	Mechanical Galvanised	15° Wire Weld Coil, Ring Shank, Mechanical Galvanised	45mm x 2.50mm	6,600	24	36
AC50R210	R	Bright	15° Wire Weld Coil, Bright, Ring Shank	50mm x 2.10mm	16,800	48	36
AC50R250	R	Bright	15° Wire Weld Coil, Bright, Ring Shank	50mm x 2.50mm	6,600	24	42
AC50R250-GAL	R	Mechanical Galvanised	15° Wire Weld Coil, Ring Shank, Mechanical Galvanised	50mm x 2.50mm	6,600	24	36
AC57R250	R	Bright	15° Wire Weld Coil, Bright, Ring Shank	57mm x 2.50mm	6,600	24	36
SCREW SHANK							
AC45S250	S	Bright	15° Wire Weld Coil, Bright, Screw Shank	45mm x 2.50mm	6,600	24	42
AC50S250	S	Bright	15° Wire Weld Coil, Bright, Screw Shank	50mm x 2.50mm	6,600	24	42
AC57S287	S	Bright	15° Wire Weld Coil, Bright, Screw Shank	57mm x 2.87mm	6,000	36	36
AC57S287-BD	S	Bright, Blunt Diamond	15° Wire Weld Coil, Bright, Screw Shank, Blunt Diamond	57mm x 2.87mm	6,000	36	36

N71C-1 (continued)

Industrial Pallet Nailer - Accepts wire weld coil
Nail Length: 38mm to 70mm



Code	Shank	Nail Finish	Description	Nail Length x Diameter (mm)	Box Qty	Coils per Box	Pallet Qty
P = Plain Shank R = Ring Shank S = Screw Shank H = Helical Shank							
SCREW SHANK							
AC57S287-GAL	S	Mechanical Galvanised	15° Wire Weld Coil, Screw Shank, Mechanical Galvanised	57mm x 2.87mm	6,000	24	36
AC64S287	S	Bright	15° Wire Weld Coil, Bright, Screw Shank	64mm x 2.87mm	6,000	24	36
AC64S287-GAL	S	Mechanical Galvanised	15° Wire Weld Coil, Screw Shank, Mechanical Galvanised	64mm x 2.87mm	6,000	24	36
AC64S306	S	Bright	15° Wire Weld Coil, Bright, Screw Shank	64mm x 3.06mm	5,400	24	36
AC75S287	S	Bright	15° Wire Weld Coil, Bright, Screw Shank	75mm x 2.87mm	6,000	24	36
AC75S287-GAL	S	Mechanical Galvanised	15° Wire Weld Coil, Screw Shank, Mechanical Galvanised	75mm x 2.87mm	6,000	24	36
SPECIALIST APPLICATIONS - HELICAL SHANK							
C4DCSBALG	H	Mechanical Galvanised	15° Coil, Helix Shank, Ballistic Point, Mechanical Galvanised	38mm x 2.50mm	3,600	12	64
SPECIALIST APPLICATIONS - RING SHANK							
C5R90BDSS	R	Stainless Steel, Blunt Diamond	15° Coil, Ring Shank, Blunt Diamond, Stainless Steel	45mm x 2.30mm	3,600	12	64
C6R90BDSS	R	Stainless Steel, Blunt Diamond	15° Coil, Ring Shank, Blunt Diamond, Stainless Steel	50mm x 2.30mm	3,600	12	64

N75C-1

Nail Length: 38mm to 75mm

Nail Diameter: 2.3mm to 3.3mm



Code	Shank	Nail Finish	Description	Nail Length x Diameter (mm)	Box Qty	Coils per Box	Pallet Qty
<i>P = Plain Shank R = Ring Shank S = Screw Shank H = Helical Shank</i>							
PLAIN SHANK							
AC38P210-BD	P	Bright, Blunt Diamond	15° Wire Weld Coil, Bright, Plain Shank, Blunt Diamond	38mm x 2.10mm	16,800	48	36
AC45P210	P	Bright	15° Wire Weld Coil, Bright, Plain Shank	45mm x 2.10mm	16,800	48	36
AC45P210-GAL	P	Mechanical Galvanised	15° Wire Weld Coil, Plain Shank, Mechanical Galvanised	45mm x 2.10mm	16,800	48	36
AC45P210-GW	P	Galvanised Wire	15° Wire Weld Coil, Plain Shank, Galvanised Wire	45mm x 2.10mm	16,800	48	36
AC45P250	P	Bright	15° Wire Weld Coil, Bright, Plain Shank	45mm x 2.50mm	6,600	24	42
AC45P250-GAL	P	Mechanical Galvanised	15° Wire Weld Coil, Plain Shank, Mechanical Galvanised	45mm x 2.50mm	6,600	24	42
AC45P250-GW	P	Galvanised Wire	15° Wire Weld Coil, Plain Shank, Galvanised Wire	45mm x 2.50mm	6,600	24	42
AC45P250-SP	P	Bright, Shear Point	15° Wire Weld Coil, Bright, Plain Shank, Shear Point	45mm x 2.50mm	6,600	24	42
AC50P210	P	Bright	15° Wire Weld Coil, Bright, Plain Shank	50mm x 2.10mm	16,800	48	36
AC50P210-GW	P	Galvanised Wire	15° Wire Weld Coil, Plain Shank, Galvanised Wire	50mm x 2.10mm	16,800	48	36
AC50P250	P	Bright	15° Wire Weld Coil, Bright, Plain Shank	50mm x 2.50mm	6,600	24	42
AC50P250-GAL	P	Mechanical Galvanised	15° Wire Weld Coil, Plain Shank, Mechanical Galvanised	50mm x 2.50mm	6,600	24	42
AC50P250-GW	P	Galvanised Wire	15° Wire Weld Coil, Plain Shank, Galvanised Wire	50mm x 2.50mm	6,600	24	42
AC50P287	P	Bright	15° Wire Weld Coil, Bright, Plain Shank	50mm x 2.87mm	6,000	24	42
AC50P287-GAL	P	Mechanical Galvanised	15° Wire Weld Coil, Plain Shank, Mechanical Galvanised	50mm x 2.87mm	6,000	24	42
AC57P250	P	Bright	15° Wire Weld Coil, Bright, Plain Shank	57mm x 2.50mm	6,600	24	36
AC57P250-GAL	P	Mechanical Galvanised	15° Wire Weld Coil, Plain Shank, Mechanical Galvanised	57mm x 2.50mm	6,600	24	36
AC57P250-GW	P	Galvanised Wire	15° Wire Weld Coil, Plain Shank, Galvanised Wire	57mm x 2.50mm	6,600	24	36
AC64P287	P	Bright	15° Wire Weld Coil, Bright, Plain Shank	64mm x 2.87mm	6,000	24	36
AC75P287	P	Bright	15° Wire Weld Coil, Bright, Plain Shank	75mm x 2.87mm	6,000	24	36
AC75P306	P	Bright	15° Wire Weld Coil, Bright, Plain Shank	75mm x 3.06mm	5,400	24	36
AC75P306-GAL	P	Mechanical Galvanised	15° Wire Weld Coil, Plain Shank, Mechanical Galvanised	75mm x 3.06mm	5,400	24	36
AC75P333	P	Bright	15° Wire Weld Coil, Bright, Plain Shank	75mm x 3.33mm	5,400	24	36
RING SHANK							
AC38R210	R	Bright	15° Wire Weld Coil, Bright, Ring Shank	38mm x 2.10mm	16,800	48	36
AC38R210-BD	R	Bright, Blunt Diamond	15° Wire Weld Coil, Bright, Ring Shank, Blunt Diamond	38mm x 2.10mm	16,800	48	48
AC38R250	R	Bright	15° Wire Weld Coil, Bright, Ring Shank	38mm x 2.50mm	9,900	36	42
AC42R210	R	Bright	15° Wire Weld Coil, Bright, Ring Shank	42mm x 2.10mm	16,800	48	36
AC45R210	R	Bright	15° Wire Weld Coil, Bright, Ring Shank	45mm x 2.10mm	16,800	48	36
AC45R210-GAL	R	Mechanical Galvanised	15° Wire Weld Coil, Ring Shank, Mechanical Galvanised	45mm x 2.10mm	16,800	48	36
AC45R250	R	Bright	15° Wire Weld Coil, Bright, Ring Shank	45mm x 2.50mm	6,600	24	42
AC45R250-GAL	R	Mechanical Galvanised	15° Wire Weld Coil, Ring Shank, Mechanical Galvanised	45mm x 2.50mm	6,600	24	36
AC50R210	R	Bright	15° Wire Weld Coil, Bright, Ring Shank	50mm x 2.10mm	16,800	48	36
AC50R250	R	Bright	15° Wire Weld Coil, Bright, Ring Shank	50mm x 2.50mm	6,600	24	42
AC50R250-GAL	R	Mechanical Galvanised	15° Wire Weld Coil, Ring Shank, Mechanical Galvanised	50mm x 2.50mm	6,600	24	36
AC50R287	R	Bright	15° Wire Weld Coil, Bright, Ring Shank	50mm x 2.87mm	6,000	24	42
AC57R250	R	Bright	15° Wire Weld Coil, Bright, Ring Shank	57mm x 2.50mm	6,600	24	36
AC57R287	R	Bright	15° Wire Weld Coil, Bright, Ring Shank	57mm x 2.87mm	6,000	24	36
AC64R287	R	Bright	15° Wire Weld Coil, Bright, Ring Shank	64mm x 2.87mm	6,000	24	36
AC64R287-GAL	R	Mechanical Galvanised	15° Wire Weld Coil, Ring Shank, Mechanical Galvanised	64mm x 2.87mm	6,000	24	36

N75C-1 (continued)

Nail Length: 38mm to 75mm

Nail Diameter: 2.3mm to 3.3mm



Code	Shank	Nail Finish	Description	Nail Length x Diameter (mm)	Box Qty	Coils per Box	Pallet Qty
<i>P = Plain Shank R = Ring Shank S = Screw Shank H = Helical Shank</i>							
RING SHANK							
ACDH65R270-SS	R	Dome Head, Stainless Steel	15° Plastic Collated Coil, Ring Shank, Stainless Steel	65mm x 2.70mm	1,600	8	112
ACDH65R270-GAL	R	Dome Head, Galvanised	15° Plastic Collated Coil, Ring Shank, Mechanical Galvanised	65mm x 2.70mm	1,600	8	112
AC75R287	R	Bright	15° Wire Weld Coil, Bright, Ring Shank	75mm x 2.87mm	6,000	24	36
AC75R306	R	Bright	15° Wire Weld Coil, Bright, Ring Shank	75mm x 3.06mm	5,400	24	36
SCREW SHANK							
AC45S250	S	Bright	15° Wire Weld Coil, Bright, Screw Shank	45mm x 2.50mm	6,600	24	42
AC50S250	S	Bright	15° Wire Weld Coil, Bright, Screw Shank	50mm x 2.50mm	6,600	24	42
AC50S287	S	Bright	15° Wire Weld Coil, Bright, Ring Shank	50mm x 2.87mm	6,000	24	42
AC57S287-GAL	S	Mechanical Galvanised	15° Wire Weld Coil, Screw Shank, Mechanical Galvanised	57mm x 2.87mm	6,000	24	36
AC57S287	S	Bright	15° Wire Weld Coil, Bright, Screw Shank	57mm x 2.87mm	6,000	36	36
AC57S287-BD	S	Bright, Blunt Diamond	15° Wire Weld Coil, Bright, Screw Shank, Blunt Diamond	57mm x 2.87mm	6,000	36	36
AC64S287	S	Bright	15° Wire Weld Coil, Bright, Screw Shank	64mm x 2.87mm	6,000	24	36
AC64S287-GAL	S	Mechanical Galvanised	15° Wire Weld Coil, Screw Shank, Mechanical Galvanised	64mm x 2.87mm	6,000	24	36
AC64S306	S	Bright	15° Wire Weld Coil, Bright, Screw Shank	64mm x 3.06mm	5,400	24	36
ACDH65S270-SS	S	Dome Head, Stainless Steel	15° Plastic Collated Coil, Screw Shank, Stainless Steel	65mm x 2.70mm	1,600	8	112
ACDH65S270-GAL	S	Dome Head, Galvanised	15° Plastic Collated Coil, Screw Shank, Mechanical Galvanised	65mm x 2.70mm	1,600	8	112
AC75S287	S	Bright	15° Wire Weld Coil, Bright, Screw Shank	75mm x 2.87mm	6,000	24	36
AC75S287-GAL	S	Mechanical Galvanised	15° Wire Weld Coil, Screw Shank, Mechanical Galvanised	75mm x 2.87mm	6,000	24	36
HELICAL SHANK							
C4DCSBALG	H	Mech Galvanised, Ballistic Point	15° Coil, Helix Shank, Ballistic Point, Mechanical Galvanised	38mm x 2.50mm	3,600	12	64
RING SHANK							
C5R90BDSS	R	Stainless Steel, Blunt Diamond	15° Coil, Ring Shank, Blunt Diamond, Stainless Steel	45mm x 2.30mm	3,600	12	64
C6R90BDSS	R	Stainless Steel, Blunt Diamond	15° Coil, Ring Shank, Blunt Diamond, Stainless Steel	50mm x 2.30mm	3,600	12	64

N80CB-1ML

Nail Length: 38mm to 83mm

Nail Diameter: 2.3mm to 3.3mm



Code	Shank	Nail Finish	Description	Nail Length x Diameter (mm)	Box Qty	Coils per Box	Pallet Qty
P = Plain Shank R = Ring Shank S = Screw Shank H = Helical Shank							
PLAIN SHANK							
AC38P210-BD	P	Bright, Blunt Diamond	15° Wire Weld Coil, Bright, Plain Shank, Blunt Diamond	38mm x 2.10mm	16,800	48	36
AC45P210	P	Bright, Blunt Diamond	15° Wire Weld Coil, Bright, Plain Shank	45mm x 2.10mm	16,800	48	36
AC45P210-GAL	P	Mechanical Galvanised	15° Wire Weld Coil, Plain Shank, Mechanical Galvanised	45mm x 2.10mm	16,800	48	36
AC45P210-GW	P	Galvanised Wire	15° Wire Weld Coil, Plain Shank, Galvanised Wire	45mm x 2.10mm	16,800	48	36
AC45P250	P	Bright	15° Wire Weld Coil, Bright, Plain Shank	45mm x 2.50mm	6,600	24	42
AC45P250-GAL	P	Mechanical Galvanised	15° Wire Weld Coil, Plain Shank, Mechanical Galvanised	45mm x 2.50mm	6,600	24	42
AC45P250-GW	P	Galvanised Wire	15° Wire Weld Coil, Plain Shank, Galvanised Wire	45mm x 2.50mm	6,600	24	42
AC45P250-SP	P	Bright, Shear Point	15° Wire Weld Coil, Bright, Plain Shank, Shear Point	45mm x 2.50mm	6,600	24	42
AC50P210	P	Bright	15° Wire Weld Coil, Bright, Plain Shank	50mm x 2.10mm	16,800	48	36
AC50P210-GW	P	Galvanised Wire	15° Wire Weld Coil, Plain Shank, Galvanised Wire	50mm x 2.10mm	16,800	48	36
AC50P250	P	Bright	15° Wire Weld Coil, Bright, Plain Shank	50mm x 2.50mm	6,600	24	42
AC50P250-GAL	P	Mechanical Galvanised	15° Wire Weld Coil, Plain Shank, Mechanical Galvanised	50mm x 2.50mm	6,600	24	42
AC50P250-GW	P	Galvanised Wire	15° Wire Weld Coil, Plain Shank, Galvanised Wire	50mm x 2.50mm	6,600	24	42
AC50P287	P	Bright	15° Wire Weld Coil, Bright, Plain Shank	50mm x 2.87mm	6,000	24	42
AC50P287-GAL	P	Mechanical Galvanised	15° Wire Weld Coil, Plain Shank, Mechanical Galvanised	50mm x 2.87mm	6,000	24	42
AC57P250	P	Bright	15° Wire Weld Coil, Bright, Plain Shank	57mm x 2.50mm	6,600	24	36
AC57P250-GAL	P	Mechanical Galvanised	15° Wire Weld Coil, Plain Shank, Mechanical Galvanised	57mm x 2.50mm	6,600	24	36
AC57P250-GW	P	Galvanised Wire	15° Wire Weld Coil, Plain Shank, Galvanised Wire	57mm x 2.50mm	6,600	24	36
AC64P287	P	Bright	15° Wire Weld Coil, Bright, Plain Shank	64mm x 2.87mm	6,000	24	36
AC75P287	P	Bright	15° Wire Weld Coil, Bright, Plain Shank	75mm x 2.87mm	6,000	24	36
AC75P306	P	Bright	15° Wire Weld Coil, Bright, Plain Shank	75mm x 3.06mm	5,400	24	36
AC75P306-GAL	P	Mechanical Galvanised	15° Wire Weld Coil, Plain Shank, Mechanical Galvanised	75mm x 3.06mm	5,400	24	36
AC75P333	P	Bright	15° Wire Weld Coil, Bright, Plain Shank	75mm x 3.33mm	5,400	24	36
AC80P306	P	Bright	15° Wire Weld Coil, Bright, Plain Shank	80mm x 3.06mm	2,700	12	42
AC83P306	P	Bright	15° Wire Weld Coil, Bright, Plain Shank	83mm x 3.06mm	2,700	12	42
RING SHANK							
AC38R210	R	Bright	15° Wire Weld Coil, Bright, Ring Shank	38mm x 2.10mm	16,800	48	36
AC38R210-BD	R	Bright, Blunt Diamond	15° Wire Weld Coil, Bright, Ring Shank, Blunt Diamond	38mm x 2.10mm	16,800	48	48
AC38R250	R	Bright	15° Wire Weld Coil, Bright, Ring Shank	38mm x 2.50mm	9,900	36	42
AC42R210	R	Bright	15° Wire Weld Coil, Bright, Ring Shank	42mm x 2.10mm	16,800	48	36
AC45R210	R	Bright	15° Wire Weld Coil, Bright, Ring Shank	45mm x 2.10mm	16,800	48	36
AC45R210-GAL	R	Mechanical Galvanised	15° Wire Weld Coil, Ring Shank, Mechanical Galvanised	45mm x 2.10mm	16,800	48	36
AC45R250	R	Bright	15° Wire Weld Coil, Bright, Ring Shank	45mm x 2.50mm	6,600	24	42
AC45R250-GAL	R	Mechanical Galvanised	15° Wire Weld Coil, Ring Shank, Mechanical Galvanised	45mm x 2.50mm	6,600	24	36
AC50R210	R	Bright	15° Wire Weld Coil, Bright, Ring Shank	50mm x 2.10mm	16,800	48	36
AC50R250	R	Bright	15° Wire Weld Coil, Bright, Ring Shank	50mm x 2.50mm	6,600	24	42
AC50R250-GAL	R	Mechanical Galvanised	15° Wire Weld Coil, Ring Shank, Mechanical Galvanised	50mm x 2.50mm	6,600	24	36
AC50R287	R	Bright	15° Wire Weld Coil, Bright, Ring Shank	50mm x 2.87mm	6,000	24	42
AC57R250	R	Bright	15° Wire Weld Coil, Bright, Ring Shank	57mm x 2.50mm	6,600	4	36
AC57R287	R	Bright	15° Wire Weld Coil, Bright, Ring Shank	57mm x 2.87mm	6,000	36	36
AC64R287	R	Bright	15° Wire Weld Coil, Bright, Ring Shank	64mm x 2.87mm	6,000	24	36
AC64R287-GAL	R	Mechanical Galvanised	15° Wire Weld Coil, Ring Shank, Mechanical Galvanised	64mm x 2.87mm	6,000	24	36

N80CB-1ML (continued)

Nail Length: 38mm to 83mm

Nail Diameter: 2.3mm to 3.3mm



Code	Shank	Nail Finish	Description	Nail Length x Diameter (mm)	Box Qty	Coils per Box	Pallet Qty
<i>P = Plain Shank R = Ring Shank S = Screw Shank H = Helical Shank</i>							
RING SHANK							
AC75R287	R	Bright	15° Wire Weld Coil, Bright, Ring Shank	75mm x 2.87mm	6,000	24	36
AC75R306	R	Bright	15° Wire Weld Coil, Bright, Ring Shank	75mm x 3.06mm	5,400	24	36
SCREW SHANK							
AC45S250	S	Bright	15° Wire Weld Coil, Bright, Screw Shank	45mm x 2.50mm	6,600	24	42
AC50S250	S	Bright	15° Wire Weld Coil, Bright, Screw Shank	50mm x 2.50mm	6,600	24	42
AC50S287	S	Bright	15° Wire Weld Coil, Bright, Ring Shank	50mm x 2.87mm	6,000	24	42
AC57S287	S	Bright	15° Wire Weld Coil, Bright, Screw Shank	57mm x 2.87mm	6,000	36	36
AC57S287-GAL	S	Mechanical Galvanised	15° Wire Weld Coil, Screw Shank, Mechanical Galvanised	57mm x 2.87mm	6,000	24	36
AC57S287-BD	S	Bright, Blunt Diamond	15° Wire Weld Coil, Bright, Screw Shank, Blunt Diamond	57mm x 2.87mm	6,000	36	36
AC64S287	S	Bright	15° Wire Weld Coil, Bright, Screw Shank	64mm x 2.87mm	6,000	24	36
AC64S287-GAL	S	Mechanical Galvanised	15° Wire Weld Coil, Screw Shank, Mechanical Galvanised	64mm x 2.87mm	6,000	24	36
AC64S306	S	Bright	15° Wire Weld Coil, Bright, Screw Shank	64mm x 3.06mm	5,400	24	36
AC75S287	S	Bright	15° Wire Weld Coil, Bright, Screw Shank	75mm x 2.87mm	6,000	24	36
AC75S287-GAL	S	Mechanical Galvanised	15° Wire Weld Coil, Screw Shank, Mechanical Galvanised	75mm x 2.87mm	6,000	24	36
AC83S306	S	Bright	15° Wire Weld Coil, Bright, Screw Shank	83mm x 3.06mm	2,700	12	42
HELICAL SHANK							
C4DCSBALG	H	Mechanical Galv, Ballistic Point	15° Coil, Helix Shank, Ballistic Point, Mechanical Galvanised	38mm x 2.50mm	3,600	12	64
RING SHANK							
C5R90BDSS	R	Stainless Steel, Blunt Diamond	15° Coil, Ring Shank, Blunt Diamond, Stainless Steel	45mm x 2.30mm	3,600	12	64
C6R90BDSS	R	Stainless Steel, Blunt Diamond	15° Coil, Ring Shank, Blunt Diamond, Stainless Steel	50mm x 2.30mm	3,600	12	64

N89C-1 & N89C-1P

Nail Length: 50mm to 90mm

Nail Diameter: 2.5mm to 3.8mm



Code	Shank	Nail Finish	Description	Nail Length x Diameter (mm)	Box Qty	Coils per Box	Pallet Qty
P = Plain Shank R = Ring Shank S = Screw Shank H = Helical Shank							
PLAIN SHANK							
AC50P210	P	Bright	15° Wire Weld Coil, Bright, Plain Shank	50mm x 2.10mm	16,800	48	36
AC50P210-GW	P	Galvanised Wire	15° Wire Weld Coil, Plain Shank, Galvanised Wire	50mm x 2.10mm	16,800	48	36
AC50P250	P	Bright	15° Wire Weld Coil, Bright, Plain Shank	50mm x 2.50mm	6,600	24	42
AC50P250-GAL	P	Mechanical Galvanised	15° Wire Weld Coil, Plain Shank, Mechanical Galvanised	50mm x 2.50mm	6,600	24	42
AC50P250-GW	P	Galvanised Wire	15° Wire Weld Coil, Plain Shank, Galvanised Wire	50mm x 2.50mm	6,600	24	42
AC50P287	P	Bright	15° Wire Weld Coil, Bright, Plain Shank	50mm x 2.87mm	6,000	24	42
AC50P287-GAL	P	Mechanical Galvanised	15° Wire Weld Coil, Plain Shank, Mechanical Galvanised	50mm x 2.87mm	6,000	24	42
AC57P250	P	Bright	15° Wire Weld Coil, Bright, Plain Shank	57mm x 2.50mm	6,600	24	36
AC57P250-GAL	P	Mechanical Galvanised	15° Wire Weld Coil, Plain Shank, Mechanical Galvanised	57mm x 2.50mm	6,600	24	36
AC57P250-GW	P	Galvanised Wire	15° Wire Weld Coil, Plain Shank, Galvanised Wire	57mm x 2.50mm	6,600	24	36
AC64P287	P	Bright	15° Wire Weld Coil, Bright, Plain Shank	64mm x 2.87mm	6,000	24	36
AC75P287	P	Bright	15° Wire Weld Coil, Bright, Plain Shank	75mm x 2.87mm	6,000	24	36
AC75P306	P	Bright	15° Wire Weld Coil, Bright, Plain Shank	75mm x 3.06mm	5,400	24	36
AC75P306-GAL	P	Mechanical Galvanised	15° Wire Weld Coil, Plain Shank, Mechanical Galvanised	75mm x 3.06mm	5,400	24	36
AC75P333	P	Bright	15° Wire Weld Coil, Bright, Plain Shank	75mm x 3.33mm	5,400	24	36
AC80P306	P	Bright	15° Wire Weld Coil, Bright, Plain Shank	80mm x 3.06mm	2,700	24	42
AC83P306	P	Bright	15° Wire Weld Coil, Bright, Plain Shank	83mm x 3.06mm	2,700	12	42
AC90P306	P	Bright	15° Wire Weld Coil, Bright, Plain Shank	90mm x 3.06mm	2,700	12	42
AC90P333	P	Bright	15° Wire Weld Coil, Bright, Plain Shank	90mm x 3.33mm	2,700	12	42
RING SHANK							
AC50R210	R	Bright	15° Wire Weld Coil, Bright, Ring Shank	50mm x 2.10mm	16,800	48	36
AC50R250	R	Bright	15° Wire Weld Coil, Bright, Ring Shank	50mm x 2.50mm	6,600	24	42
AC50R250-GAL	R	Mechanical Galvanised	15° Wire Weld Coil, Ring Shank, Mechanical Galvanised	50mm x 2.50mm	6,600	24	36
AC50R287	R	Bright	15° Wire Weld Coil, Bright, Ring Shank	50mm x 2.87mm	6,000	24	42
AC57R250	R	Bright	15° Wire Weld Coil, Bright, Ring Shank	57mm x 2.50mm	6,600	24	36
AC57R287	R	Bright	15° Wire Weld Coil, Bright, Ring Shank	57mm x 2.87mm	6,000	36	36
AC64R287	R	Bright	15° Wire Weld Coil, Bright, Ring Shank	64mm x 2.87mm	6,000	24	36
AC64R287-GAL	R	Mechanical Galvanised	15° Wire Weld Coil, Ring Shank, Mechanical Galvanised	64mm x 2.87mm	6,000	24	36
AC75R287	R	Bright	15° Wire Weld Coil, Bright, Ring Shank	75mm x 2.87mm	6,000	24	36
AC75R306	R	Bright	15° Wire Weld Coil, Bright, Ring Shank	75mm x 3.06mm	5,400	24	36
SCREW SHANK							
AC50S250	S	Bright	15° Wire Weld Coil, Bright, Screw Shank	50mm x 2.50mm	6,600	24	42
AC50S287	S	Bright	15° Wire Weld Coil, Bright, Ring Shank	50mm x 2.87mm	6,000	24	42
AC57S287	S	Bright	15° Wire Weld Coil, Bright, Screw Shank	57mm x 2.87mm	6,000	36	36
AC57S287-GAL	S	Mechanical Galvanised	15° Wire Weld Coil, Screw Shank, Mechanical Galvanised	57mm x 2.87mm	6,000	24	36
AC57S287-BD	S	Bright, Blunt Diamond	15° Wire Weld Coil, Bright, Screw Shank, Blunt Diamond	57mm x 2.87mm	6,000	36	36
AC64S287	S	Bright	15° Wire Weld Coil, Bright, Screw Shank	64mm x 2.87mm	6,000	24	36
AC64S287-GAL	S	Mechanical Galvanised	15° Wire Weld Coil, Screw Shank, Mechanical Galvanised	64mm x 2.87mm	6,000	24	36
AC64S306	S	Bright	15° Wire Weld Coil, Bright, Screw Shank	64mm x 3.06mm	5,400	24	36
AC75S287	S	Bright	15° Wire Weld Coil, Bright, Screw Shank	75mm x 2.87mm	6,000	24	36
AC75S287-GAL	S	Mechanical Galvanised	15° Wire Weld Coil, Screw Shank, Mechanical Galvanised	75mm x 2.87mm	6,000	24	36
AC83S306	S	Bright	15° Wire Weld Coil, Bright, Screw Shank	83mm x 3.06mm	2,700	12	42

N89C-1 & N89C-1P (continued)

Nail Length: 50mm to 90mm

Nail Diameter: 2.5mm to 3.8mm



Code	Shank	Nail Finish	Description	Nail Length x Diameter (mm)	Box Qty	Coils per Box	Pallet Qty
<i>P = Plain Shank R = Ring Shank S = Screw Shank H = Helical Shank</i>							
HELICAL SHANK							
C4DCSBALG	H	Mechanical Galv, Ballistic Point	15° Coil, Helix Shank, Ballistic Point, Mechanical Galvanised	38mm x 2.50mm	3,600	12	64
RING SHANK							
C5R90BDSS	R	Stainless Steel, Blunt Diamond	15° Coil, Ring Shank, Blunt Diamond, Stainless Steel	45mm x 2.30mm	3,600	12	64
C6R90BDSS	R	Stainless Steel, Blunt Diamond	15° Coil, Ring Shank, Blunt Diamond, Stainless Steel	50mm x 2.30mm	3,600	12	64

N400C-1

Nail Length: 57mm to 100mm

Nail Diameter: 2.5mm to 3.8mm



Code	Shank	Nail Finish	Description	Nail Length x Diameter (mm)	Box Qty	Coils per Box	Pallet Qty
P = Plain Shank R = Ring Shank S = Screw Shank H = Helical Shank							
PLAIN SHANK							
AC57P250	P	Bright	15° Wire Weld Coil, Bright, Plain Shank	57mm x 2.50mm	6,600	24	36
AC57P250-GAL	P	Mechanical Galvanised	15° Wire Weld Coil, Plain Shank, Mechanical Galvanised	57mm x 2.50mm	6,600	24	36
AC57P250-GW	P	Galvanised Wire	15° Wire Weld Coil, Plain Shank, Galvanised Wire	57mm x 2.50mm	6,600	24	36
AC64P287	P	Bright	15° Wire Weld Coil, Bright, Plain Shank	64mm x 2.87mm	6,000	24	36
AC75P287	P	Bright	15° Wire Weld Coil, Bright, Plain Shank	75mm x 2.87mm	6,000	24	36
AC75P306	P	Bright	15° Wire Weld Coil, Bright, Plain Shank	75mm x 3.06mm	5,400	24	36
AC75P306-GAL	P	Mechanical Galvanised	15° Wire Weld Coil, Plain Shank, Mechanical Galvanised	75mm x 3.06mm	5,400	24	36
AC75P333	P	Bright	15° Wire Weld Coil, Bright, Plain Shank	75mm x 3.33mm	5,400	24	36
AC80P306	P	Bright	15° Wire Weld Coil, Bright, Plain Shank	80mm x 3.06mm	2,700	12	42
AC83P306	P	Bright	15° Wire Weld Coil, Bright, Plain Shank	83mm x 3.06mm	2,700	12	42
AC90P306	P	Bright	15° Wire Weld Coil, Bright, Plain Shank	90mm x 3.06mm	2,700	12	42
AC90P333	P	Bright	15° Wire Weld Coil, Bright, Plain Shank	90mm x 3.33mm	2,700	12	42
AC100P333	P	Bright	15° Wire Weld Coil, Bright, Plain Shank	100mm x 3.33mm	2,700	12	42
RING SHANK							
AC57R250	R	Bright	15° Wire Weld Coil, Bright, Ring Shank	57mm x 2.50mm	6,600	24	36
AC57R287	R	Bright	15° Wire Weld Coil, Bright, Ring Shank	57mm x 2.87mm	6,000	36	36
AC64R287	R	Bright	15° Wire Weld Coil, Bright, Ring Shank	64mm x 2.87mm	6,000	24	36
AC64R287-GAL	R	Mechanical Galvanised	15° Wire Weld Coil, Ring Shank, Mechanical Galvanised	64mm x 2.87mm	6,000	24	36
AC75R287	R	Bright	15° Wire Weld Coil, Bright, Ring Shank	75mm x 2.87mm	6,000	24	36
AC75R306	R	Bright	15° Wire Weld Coil, Bright, Ring Shank	75mm x 3.06mm	5,400	24	36
SCREW SHANK							
AC57S287	S	Bright	15° Wire Weld Coil, Bright, Screw Shank	57mm x 2.87mm	6,000	36	36
AC57S287-GAL	S	Mechanical Galvanised	15° Wire Weld Coil, Screw Shank, Mechanical Galvanised	57mm x 2.87mm	6,000	24	36
AC57S287-BD	S	Bright, Blunt Diamond	15° Wire Weld Coil, Bright, Screw Shank, Blunt Diamond	57mm x 2.87mm	6,000	36	36
AC64S287	S	Bright	15° Wire Weld Coil, Bright, Screw Shank	64mm x 2.87mm	6,000	24	36
AC64S287-GAL	S	Mechanical Galvanised	15° Wire Weld Coil, Screw Shank, Mechanical Galvanised	64mm x 2.87mm	6,000	24	36
AC64S306	S	Bright	15° Wire Weld Coil, Bright, Screw Shank	64mm x 3.06mm	5,400	24	36
AC75S287	S	Bright	15° Wire Weld Coil, Bright, Screw Shank	75mm x 2.87mm	6,000	24	36
AC75S287-GAL	S	Mechanical Galvanised	15° Wire Weld Coil, Screw Shank, Mechanical Galvanised	75mm x 2.87mm	6,000	24	36
AC83S306	S	Bright	15° Wire Weld Coil, Bright, Screw Shank	83mm x 3.06mm	2,700	12	42
AC100S333	S	Bright	15° Wire Weld Coil, Bright, Screw Shank	100mm x 3.33mm	2,700	12	42
HELICAL SHANK							
C4DCSBALG	H	Mechanical Galv, Ballistic Point	15° Coil, Helix Shank, Ballistic Point, Mechanical Galvanised	38mm x 2.50mm	3,600	12	64
RING SHANK							
C5R90BDSS	R	Stainless Steel, Blunt Diamond	15° Coil, Ring Shank, Blunt Diamond, Stainless Steel	45mm x 2.30mm	3,600	12	64
C6R90BDSS	R	Stainless Steel, Blunt Diamond	15° Coil, Ring Shank, Blunt Diamond, Stainless Steel	50mm x 2.30mm	3,600	12	64

Code	Description	Staple Length (mm)	Box Qty	Carton Qty	APN
------	-------------	--------------------	---------	------------	-----

20 SERIES

20/4	11mm Crown, 0.75 X 0.52mm Wire	4mm	10,000	36	9316973004961
20/6	11mm Crown, 0.75 X 0.52mm Wire	6mm	10,000	24	9316973000260
20/8	11mm Crown, 0.75 X 0.52mm Wire	8mm	10,000	24	9316973000321
20/10	11mm Crown, 0.75 X 0.52mm Wire	10mm	10,000	24	9316973000277
20/13	11mm Crown, 0.75 X 0.52mm Wire	13mm	10,000	20	9316973000284

Compatible with MAX® branded 20 Series Stapler

71 SERIES



TU-216-71



TU-216-71A

71/06-10M	9mm Crown, 0.75 X 0.52mm Wire	6mm	10,000	20	9316973991063
71/08-10M	9mm Crown, 0.75 X 0.52mm Wire	8mm	10,000	20	9316973991070
71/10-10M	9mm Crown, 0.75 X 0.52mm Wire	10mm	10,000	20	9316973991087
71/12-10M	9mm Crown, 0.75 X 0.52mm Wire	12mm	10,000	20	9316973991094
71/14-10M	9mm Crown, 0.75 X 0.52mm Wire	14mm	10,000	20	9316973991100

80 SERIES



TU-216-80

80/4	13mm Crown, 0.90mm X 0.70mm Wire	4mm	10,000	18	
80/6	13mm Crown, 0.90mm X 0.70mm Wire	6mm	10,000	18	9316973991186
80/8	13mm Crown, 0.90mm X 0.70mm Wire	8mm	10,000	18	9316973991193
80/10	13mm Crown, 0.90mm X 0.70mm Wire	10mm	10,000	18	9316973991056
80/12	13mm Crown, 0.90mm X 0.70mm Wire	12mm	10,000	18	9316973991209
80/14	13mm Crown, 0.90mm X 0.70mm Wire	14mm	10,000	18	9316973991216
80/4SS-10M	13mm Crown, 0.90mm X 0.70mm Stainless Steel Wire	4mm	10,000	18	9316973994064
80/6SS-10M	13mm Crown, 0.90mm X 0.70mm Stainless Steel Wire	6mm	10,000	18	9316973994071
80/8SS-10M	13mm Crown, 0.90mm X 0.70mm Stainless Steel Wire	8mm	10,000	18	9316973994088
80/10SS-10M	13mm Crown, 0.90mm X 0.70mm Stainless Steel Wire	10mm	10,000	18	9316973994095
80/12SS-10M	13mm Crown, 0.90mm X 0.70mm Stainless Steel Wire	12mm	10,000	18	9316973994101
80/14SS-10M	13mm Crown, 0.90mm X 0.70mm Stainless Steel Wire	14mm	10,000	18	9316973994118

97 SERIES

BA-9710C	6mm Crown, 1.20mm X 0.60mm Wire, Clear	10mm	13,000	9	0077914011729
BA-9712C	6mm Crown, 1.20mm X 0.60mm Wire, Clear	12mm	20,800	6	0077914011736
BA-9714C	6mm Crown, 1.20mm X 0.60mm Wire, Clear	14mm	18,200	6	0077914011743
BA-9716CLS	6mm Crown, 1.20mm X 0.60mm Wire, Long Staple	16mm	15,500	6	0077914039099
BA-9719C	6mm Crown, 1.20mm X 0.60mm Wire, Clear	19mm	13,000	6	0077914011767

Compatible with the Bostitch® S97125-1, BeA® and Basso® branded 97 Series Staplers

Code	Description	Staple Length (mm)	Box Qty	Carton Qty	APN
------	-------------	--------------------	---------	------------	-----

SX SERIES



SX150K-1



SB150SX

SX5035-12MM	6mm Crown, 1.26mm X 0.89mm Wire	12mm	5,000	10	9316973991025
SX5035-16MM	6mm Crown, 1.26mm X 0.89mm Wire	16mm	5,000	10	9316973991032
SX5035-18MM5M	6mm Crown, 1.26mm X 0.89mm Wire	18mm	5,000	10	9316973991117
SX5035-22MM	6mm Crown, 1.26mm X 0.89mm Wire	22mm	5,000	10	9316973991124
SX5035-25MM	6mm Crown, 1.26mm X 0.89mm Wire	25mm	5,000	10	9316973991049
SX5035-28MM5M	6mm Crown, 1.26mm X 0.89mm Wire	28mm	5,000	6	9316973991131
SX5035-30MM5M	6mm Crown, 1.26mm X 0.89mm Wire	30mm	5,000	6	9316973991148
SX5035-32MM5M	6mm Crown, 1.26mm X 0.89mm Wire	32mm	5,000	6	9316973991155
SX5035-35MM5M	6mm Crown, 1.26mm X 0.89mm Wire	35mm	5,000	6	9316973991162

SL SERIES



SL150-1



SB150SLBC-1

SL5035-12MM	8.5mm Crown, 1.26mm X 0.89mm Wire	12mm	5,000		0077914014454
SL5035-15MM	8.5mm Crown, 1.26mm X 0.89mm Wire	15mm	5,000		0077914014461
SL5035-19MM	8.5mm Crown, 1.26mm X 0.89mm Wire	19mm	5,000		0077914014478
SL5035-22MM	8.5mm Crown, 1.26mm X 0.89mm Wire	22mm	5,000		0077914014485
SL5035-25MM	8.5mm Crown, 1.26mm X 0.89mm Wire	25mm	5,000		0077914014492
SL5035-28MM	8.5mm Crown, 1.26mm X 0.89mm Wire	28mm	3,000		0077914014508
SB-CAPS	Bostitch Button Caps suits SB150SLBC-1 (1,000 PK)	25mm (1") Caps	1,000		0077914038122
CAPPAK1	Bulk Pack 5,000 x 1" Caps And 5,000 x 25mm Staples	25mm Staples	5,000		0077914042075

S2 SERIES



428S2R-1

BCS2-2516-7M	25mm Crown, 16 Gauge	16mm	6,720		9316973993104
BCS2-2519	25mm Crown, 16 Gauge	19mm	6,160		9316973001199
BCS2-2525	25mm Crown, 16 Gauge	25mm	4,480		9316973001205
BCS2-2532-3M	25mm Crown, 16 Gauge	32mm	3,360		9316973993098
BCS2-2538	25mm Crown, 16 Gauge	38mm	3,080		9316973001229

Code	Description	Staple Length (mm)	Box Qty	Carton Qty	APN
------	-------------	-----------------------	------------	---------------	-----

S4 SERIES



New 15.5ga Handy 1,000 Packs now available!




M111FS

BCS1512-1M	12mm Crown, 15.5 Gauge	38mm	1,000		9316973994545
BCS1514-1M	12mm Crown, 15.5 Gauge	45mm	1,000		9316973994552
BCS1514-2.5M	12mm Crown, 15.5 Gauge	45mm	2,500	120	9316973994637
BCS1514-5M	12mm Crown, 15.5 Gauge	45mm	5,000	120	9316973994644
BCS4-1232	12.7mm Crown, 16 Gauge	32mm	7,140	120	9316973005128
BCS4-1238	12.7mm Crown, 16 Gauge	38mm	6,720	120	9316973001274
BCS4-1245	12.7mm Crown, 16 Gauge	45mm	5,320	120	9316973001298
BCS4-1250	12.7mm Crown, 16 Gauge	50mm	5,040	120	9316973001304

S5 SERIES

BCS5-1119	11mm Crown, 16 Gauge	19mm	13,860		9316973003568
BCS5-1125	11mm Crown, 16 Gauge	25mm	10,500		9316973003575
BCS5-1132	11mm Crown, 16 Gauge	32mm	8,400		9316973001311
BCS5-1135	11mm Crown, 16 Gauge	35mm	7,560		9316973001328
BCS5-1138	11mm Crown, 16 Gauge	38mm	6,860		9316973001335
BCS5-1145	11mm Crown, 16 Gauge	45mm	5,880		9316973001342
BCS5-1150	11mm Crown, 16 Gauge	50mm	5,600		9316973001359

WIDE CROWN PACKAGING STAPLES (COILS)



D61-ADC

SW1C-16mm	16mm	16mm	13,860	24000	9316973001960
SW1C-18mm	18mm	18mm	10,500	24000	9316973993425

Suits Bostitch® D61-ADC

SW4C-12mm	12mm	12mm	8,400	24000	9316973001984
SW4C-16mm	16mm	16mm	7,560	24000	9316973001991
SW4C-19mm	19mm	19mm	6,860	24000	9316973002004

Suits Bostitch® FC95EC

WIDE CROWN PACKAGING STAPLES (STICK)



D16-2AD

SW7437-16mm	35mm Crown, 0.074" X 0.037" Wire	16mm		2400	9316973002011
SW7437-19mm	35mm Crown, 0.074" X 0.037" Wire	19mm		2400	9316973002028

Suits Bostitch® D-16-2, D16-2AD & DW16H

SW9040-16mm	35mm Crown, 0.090" X 0.040" Wire	16mm		2000	9316973000291
SW9040-19mm	35mm Crown, 0.090" X 0.040" Wire	19mm		2000	9316973000413
SW9040-22mm	35mm Crown, 0.090" X 0.040" Wire	22mm		2000	9316973002035

Suitable for use in Bostitch® FC95EC, D16-2 and D16-2AD Carton Closure Staplers

Code	Description	Staple Length (mm)	Box Qty	Carton Qty	APN
------	-------------	--------------------	---------	------------	-----

ROUND CROWN BOX SPRING STAPLES



BCAR-2S

BCS31-5M	6mm Crown, 20mm Leg - Chisel Points Same Direction	20mm	5000	9316973991124
BCS31P	6mm Crown, 20mm Leg - Chisel Points Opposite Direction	20mm	28576	0077914012733
BCS32-5M	6mm Crown, 22mm Leg - Chisel Points The Opposite Direction	22mm	5000	9316973994620

Suits Bostitch® BCAR1B-495-92L and BCAR-2S Staplers

MANUAL FASTENING HEAVY DUTY STAPLES



H30-8



PC2K



PC4000ML

STCR5019-6MM-1M	PowerCrown, 11mm Crown, 1.27mm X 0.48mm Wire	6mm	1,000	0077914005100
STCR5019-6MM-6M	PowerCrown, 11mm Crown, 1.27mm X 0.48mm Wire	6mm	6,000	0077914031789
STCR5019-10MM1M	PowerCrown, 11mm Crown, 1.27mm X 0.48mm Wire	10mm	1,000	0077914005155
STCR5019-10MM5M	PowerCrown, 11mm Crown, 1.27mm X 0.48mm Wire	10mm	5,000	0077914031802
STCR5019-10MMSS	PowerCrown, 11mm Crown, 1.27mm X 0.48mm Stainless Steel	10mm	5,000	0077914010784
STCR5019-12MM1M	PowerCrown, 11mm Crown, 1.27mm X 0.48mm Wire	12mm	1,000	0077914005209
STCR5019-12MM4M	PowerCrown, 11mm Crown, 1.27mm X 0.48mm Wire	12mm	4,000	0077914031079
STCR5019-14MM1M	PowerCrown, 11mm Crown, 1.27mm X 0.48mm Wire	14mm	1,000	0077914005254
STCR5019-14MM4M	PowerCrown, 11mm Crown, 1.27mm X 0.48mm Wire	14mm	4,000	0077914031086
SB103020-12MM2M	12mm Crown, 2.6mm X 0.5mm Wire	12mm	2,100	0077914031840
SB103020-16MM	12mm Crown, 2.6mm X 0.5mm Wire	16mm	2,500	0077914025184
SB5019-10MM-8M	12mm Crown, Galvanised, 10mm Leg Length	10mm	8,064	0077914031765
SB5019-12MM6M	12mm Crown, Galvanised, 12mm Leg Length	12mm	6,048	0077914031727
SB5019-16MM-4M	12mm Crown, Galvanised, 16mm Leg Length	16mm	4,000	0077914031772
SP19-6MM	9.5mm Crown, 0.48mm (0.019") Gauge Wire, 6mm Leg Length	6mm	5,000	0077914005025
B58A	35mm Crown, 2.28mm X 9.6mm Wire, Suits	16mm	2,000	0077914032984