

# SAFETY DATA SHEET

## A-13E

### Section 1 : Identification

**SGH Identifier** : Coolcut XX, Twist Coolcut XX, Enduro-Flex 2-in-1, Enduro-Flex 2-in-1 Turbo, Enduro-Flex Turbo, Topcut, Coolcut XX Drum Belts, Coolcut Flap Drums, 2-in-1 Drums, 2-in-1 Turbo Drums, 2-in-1 Flap Wheels, Coolcut XX Belts, Enduro-Flex Alu, XTRACUT

**Product Code** : **15-X** Coolcut XX sanding disc (452; 453; 455; 456; 458; 460; 462; 502; 503; 505; 506; 508; 510; 512; 602; 603; 605; 606; 608; 610; 612; 702; 703; 705; 706; 708; 710; 712; 453B; 456B; 503B; 506B; 473; 475; 476; 478; 482; 523; 525; 526; 528; 532; 723; 726; 728; 732)  
**04-C** Coolcut XX Twist sanding disc (203; 205; 206; 208; 212; 303; 305; 306; 308; 312)  
**15-I** Enduro-Flex 2 in 1, (453; 503), Enduro-Flex 2 in 1 Turbo (451; 501)  
**06-A** Enduro-Flex Turbo (452; 457; 458; 462; 502; 508; 512; 602; 707; 712)  
**15-P** Topcut (452; 453; 456; 458; 502; 503; 506; 508; 702; 703; 706; 708; 452B; 453B; 456B; 458B; 502B; 503B; 506B; 508B; 702B; 703B; 706B; 708B)  
**07-F** Coolcut XX Drum Belt (366; 368; 371; 506; 508; 511)  
**07-J** Coolcut Flap Drum (424; 426; 428; 432; 444; 446; 448; 452)  
**07-K** 2-in-1 Drum (322; 422; 342; 442)  
**07-K** 2-in-1 Turbo Drum (421; 441)  
**15-E** 2-in-1 flap wheels (124; 126; 162; 164; 166; 167; 168; 652; 654; 656; 658; 295; 296)  
**14-X** Coolcut XX Rail-Mate belts (154; 156; 158; 162)  
**06-U** Enduro-Flex ALU (454; 456; 458; 504; 506; 508; 604; 606; 608)  
**15-U** Enduro-Flex ALU (704; 706; 708)  
**15-A** XTRACUT sanding disc (453; 456; 458; 503; 506; 508; 703; 706; 708)

**SDS No** : A-13E

**Product type** : Flap discs, Sanding discs, Drums, Drum belts, File Belts

**Identified Uses** : Sanding, Blending, Finishing

<b>Manufacturer</b> :	Walter Surface Technologies Inc.	Walter Surface Technologies Inc.
	5977 Trans Canada Highway West	810 Day Hill Road
	Pointe-Claire, Quebec, Canada	Windsor, CT 06095
	H9R 1C1	United States
	Phone: 514-630-2800	General Information: 1-866-592-5837
	Toll Free: 1-800-363-7368	www.walter.com

### Emergency telephone number

CANUTEC (Canadian Transport Emergency Centre), (613) 996-6666,

24 hours/days, 7 days/week

INFOTRAC® 1800-535-5053, Outside U.S.A call collects: 1-352-323-3500

24 Hours/Day, 7 days/week

## Section 2 : Hazards Identification

**OSHA/HCS Status** : While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.

**Classification** : Not classified

### GHS Label Element

**Signal Word** : No signal word

**Hazard Statement** : No known significant effects or critical hazards

### Precautionary Statements

**General** : Read Safety Data Sheet before use. Keep out of reach of children.

**Prevention** : Not applicable.

**Response** : Not applicable.

**Storage** : Not applicable.

**Disposal** : Not applicable.

**Hazard Not Otherwise Classified** : None known

## Section 3: Ingredients and composition of product

The greatest part of the projected dust during the work comes from the work piece and not from the product.

### **Hazardous Ingredients** :

Ingredient Name	CAS Number	Concentration (%)
Potassium Fluoroborate	14075-53-7	1-20
Cryolite	13775-53-6	0-25

Any concentration shown as a range is to protect confidentiality or is due to a batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

## Section 4: First Aid Measures

### Description of necessary first aid measures

- Inhalation** : Move victim to fresh air. If the victim still feels unwell, consult a physician.
- Skin Contact** : Wash gently and thoroughly with lukewarm, flowing water and non-abrasive soap for 5 minutes. If signs/symptoms develop, consult a physician.
- Eyes Contact** : Flush the contaminated eye(s) with large amounts of clean water for 5 minutes while holding the eyelid(s) open. Do not remove embedded objects. Continue rinsing. Consult physician if necessary.
- Ingestion** : Not applicable
- Others** : Treat scrapes or cuts by cleaning wound. Apply sterile dressing.

### Most important symptoms and effects, both acute and delayed

#### Potential acute health effects

- Inhalation** : No known significant effects or critical hazards
- Skin Contact** : No known significant effects or critical hazards
- Eyes Contact** : No known significant effects or critical hazards
- Ingestion** : No known significant effects or critical hazards

#### Over-exposure signs/symptoms

- Inhalation** : No known significant effects or critical hazards
- Skin Contact** : No known significant effects or critical hazards
- Eyes Contact** : No known significant effects or critical hazards
- Ingestion** : No known significant effects or critical hazards

### Indication of any immediate medical attention and special treatment needed

None

See toxicological information (Section 11)

## Section 5: Fire-Fighting Measures

### Extinguish Media

**Suitable extinguish Media** : Water, CO<sub>2</sub> or chemical

**Unsuitable extinguish Media** : None Known

### **Hazardous thermal decomposition products:**

During combustion, toxic fumes may occur, use protective equipment. Decomposition products may include the following material:

Substance: Carbon monoxide and Carbon Dioxide

### **Special protective actions for fire-fighter:**

No special measures are required.

## Section 6: Accidental Release Measures

### Personal precautions, protective equipment and emergency procedures

**For non-emergency personnel** : Not applicable

**For emergency responders** : Not applicable

**Environmental precautions** : Not applicable

### Methods and materials for containment and cleaning up

Not applicable

## Section 7: Handling and Storage

**Precautions for safe handling** : Follow safety standards for grinding (ANSI B11.09-2010)

**Precautions for safe storage** : There is no special storage requirement

## Section 8: Exposure Control & Personal Protection

### Control parameters

### Occupational exposure limit

The following table presents the limit for air contaminant from OSHA 1910-Z-1 Table.

Ingredient name	Limit value (mg/m <sup>3</sup> )
Aluminium Oxide	15 5 (respirable fraction)
Zirconium Dioxide	5
Cryolite	2,5

**Appropriate engineer control** : General ventilation is adequate to evacuate the dust form the working area. With good ventilation, the exposure of every ingredient should be below the limit. Make sure all the equipment is in good condition.

**Environment exposure control** : Not applicable

### Individual Personal Protection

**Eyes Protection** : Wear protective goggles with safe shields.

**Hand Protection** : Wear Gloves.

**Skin Protection** : Wear long clothes. Smock is recommended.

**Respiratory Protection** : Use of a protective half or full face mask.

**Hearing Protection** : Ear protection is recommended.

## Section 9: Physical & Chemical Properties

### Appearance

**Physical state** : Solid

**Appearance** :\_Clear

**Odour** : Not available

**Boiling Point** : Not available

**Freezing Point** : Not available

---

Specific Gravity	: > 1 g/cm <sup>3</sup>
pH	: Not available
Vapour Pressure	: Not available
Evaporation	: Not available
Flashpoint	: Not available
Auto ignition temperature	: Not available
Sensitivity to mechanical	: Not available

## Section 10: Stability & Reactivity

Reactivity	: None known
Chemical Stability	: This product is stable
Possibility to Hazardous Reaction	: None known
Conditions to avoid	: None know
Incompatible Material	: None known

### Hazardous decomposition products:

Under normal conditions of use, hazardous decomposition products should not be produced.

## Section 11: Toxicology

### Information on toxicological effects

Acute Toxicity	: No known significant effects
Irritation/Corrosion	: Uncontrolled dust can affect eyes and respiration.
Sensitization	: No known significant effects
Carcinogenicity	: No known significant effects
Reproductive Toxicity	: No known significant effects
Specific target organ toxicity - Single exposure	: No known significant effects
Specific target organ toxicity - Repeated exposure	: No known significant effects
Aspiration Hazard	: No known significant effects

**Information on the likely routes of exposure:**

Inhalation, Skin contact, Eyes contact, Ingestion

**Potential acute health effects**

**Inhalation** : No known significant effects or critical hazards

**Skin Contact** : No known significant effects or critical hazards

**Eyes Contact** : No known significant effects or critical hazards

**Ingestion** : No known significant effects or critical hazards

**Symptoms related to the physical, chemical and toxicological characteristics**

**Inhalation** : No known significant effects or critical hazards

**Skin Contact** : No known significant effects or critical hazards

**Eyes Contact** : No known significant effects or critical hazards

**Ingestion** : No known significant effects or critical hazards

**Short term exposure**

**Potential immediate effect:** No known significant effects or critical hazards

**Potential delayed effect:** No known significant effects or critical hazards

**Long term exposure**

**Potential immediate effect:** No known significant effects or critical hazards

**Potential delayed effect:** No known significant effects or critical hazards

**Potential Chronic Health Effects**

**General** : No known significant effects or critical hazards

**Carcinogenicity** : No known significant effects or critical hazards

**Mutagenicity** : No known significant effects or critical hazards

**Teratogenicity** : No known significant effects or critical hazards

**Developmental Effects** : No known significant effects or critical hazards

**Fertility Effects** : No known significant effects or critical hazards

## Section 12: Ecological Information

### Toxicity

**Aquatic Toxicity** : No know significant effects or critical hazards.

**Persistence and degradability:** No know significant effects or critical hazards.

**Bioaccumulation potential:** No know significant effects or critical hazards.

**Mobility in soil** : No know significant effects or critical hazards.

**Other adverse effects** : No know significant effects or critical hazards.

## Section 13: Disposal Considerations

**Disposal methods** : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

**EPA Hazardous Waste Number (RCRA):** Not regulated

**Section 14: Transport Information**

	DOT Classification	TDG	IMDG	IATA
UN Number	Not Regulated	Not Regulated	Not Regulated	Not Regulated
UN Proper shipping name	-	-	-	-
Transport Hazards Class	-	-	-	-
Packing Group	-	-	-	-
Environmental Hazards	No	No	No	No
Additional Information	-	-	-	-

Special precautions for user : None

**Section 15: Regulatory Information**

**US Federal Regulations** : Contact Walter Surface Technologies for more information.

**Hazard Categories** : Fire Hazard – No, Pressure Hazard – No, Reactivity Hazard – No, Immediate Hazard –No, Delayed Hazard – No.

**State Regulations** : Contact Walter Surface Technologies for more information.

**⚠ WARNING:** This product can expose you to chemicals including **Formaldehyde**, which are known to the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

**Chemical Inventories** : This product is defined by TSCA regulations and is exempt from TSCA Inventory listing requirements.

**International Regulations** : Contact Walter Surface Technologies for more information.

This SDS has been prepared to meet the U.S OSHA Hazard Communication Standard, 29 CFR 1910.1200.

---

<b>Section 16: Other Information</b>
--------------------------------------

**History**

**Date of issue mm/dd/yyyy** : 05/21/2015

**Latest revision mm/dd/yyyy** : 21/10/2019

**Version** : 4

**Prepared by** : Walter Surface Technologies Inc.

**Notice to reader:**

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.